


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Mr. G. M. Darrow,
Horticulture & Pomology,
Bureau of Plant Industry.



THE PLANT DISEASE REPORTER

Issued By

The Plant Disease Survey

Supplement 31

Index to Supplements 26-30

December 31, 1923

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX TO SUPPLEMENTS XXVI - XXX, PLANT DISEASE BULLETIN, 1923.

Plant Disease Reporter
Supplement 31

December 31, 1923

. Prepared by Mary G. Van Meter

- Abies amabilis*, (see silver fir), 394.
balsamea, (see balsam fir), 395.
grandis, (see lowland fir), 395.
lasiocarpa, (see Alpine fir), 395.
veitchii, (see Veitch's fir), 395.
 Abnormal proliferated blossoms,
 watermelon, 123.
 Aborted nuts, white elm, 416.
Acacia farnesiana, (see acacia), 409.
Acacia, *Ravenelia australis*, 409.
Acer glabrum, (see dwarf maple), 420.
 interior, (see maple), 421.
 macrophyllum, (see Oregon maple),
 421.
 negundo, (see box elder), 421.
 pennsylvanica, (see striped maple),
 421.
 platanoides, (see Norway maple),
 421.
 rubrum, (see red maple), 421.
 tar leaf spot, 423.
 saccharinum, (see silver maple), 422.
 tar leaf spot, 423.
 saccharum, (see sugar maple), 422.
 spicatum, (see mountain maple), 422.
 spp., (see maple), 422.
 Acreage of United States, 240.
Acrostalagmus caulophagus, blackberry,
 373.
 raspberry, 371.
Actinomyces scabies, beet, 144.
 potato, 24.
 sugar beet, 134.
Actinonema rosae, rose, 445.
 sp., poinsettia, 443.
Aecidium abundans, snowberry, 449.
 gossypii, cotton, 128.
 ivae, marsh elder, 415.
 oxalidis, oxalis, 442.
Aesculus californica, (see California
 buckeye), 411.
 glabra, (see buckeye), 411.
 hippocastanum, (see horse chestnut),
 419.
Agropyron acutum, *Puccinia glumarum*,
 263.
 caninum, *Puccinia graminis*, 263.
 elongatum, *Helminthosporium gi-*
 ganteum, 261.
 intermedium, *Helminthosporium*
 giganteum, 261.
 longifolium, *Puccinia glumarum*,
 263.
 repens, *Claviceps purpurea*, 261.
 Erysiphe graminis, 261.
 Helminthosporium giganteum,
 261.
 Ophiobolus cariceti, 262.
 Phyllachora graminis, 262.
 Puccinia graminis, 263.
 Urocystis agropyri, 264.
 smithii, *Claviceps purpurea*, 261.
 Puccinia graminis, 263.
 Wojnowicia graminis, 265.
 spp., *Puccinia clematidis*, 262.
 tenerum, *Erysiphe graminis*, 261.
 Puccinia clematidis, 262.
 Puccinia graminis, 263.
 tenerum longifolium, *Puccinia*
 glumarum, 263.

Agrostis palustris, *Erysiphe graminis*, 261.
Ophiobolus cariceti, 167, 262.
Puccinia graminis, 263.
Pythium sp., 166, 264.
Urocystis agropyri, 167, 264.
stolonifera, *Helminthosporium giganteum*, 261.
Albugo candida, *Bursa bursa-pastoris*, 451.
 horseradish, 110.
 mustard, 110.
 radish, 111.
 turnip, 111.
ipomoeae panduranae, sweet potato, 88.
tragopogonis, salsify, 161.
 Alder, mountain, catkin deformation, 409.
 leaf spot, 409.
 powdery mildew, 409.
 Alder, red, canker, 409.
 leaf spot, 409.
 white heart rot, 409.
 Alfalfa, anthracnose, 248.
 bacterial blight, 248.
 crown wart, 248.
 dodder, 249.
 downy mildew, 248.
 girdle, 249.
 leaf spot, 166.
Ascochyta, 249.
Cercospora, 249.
Macrosporium, 249.
Pleosphaerulina, 249.
Pseudopeziza, 246.
 root knot, 249.
 root rot, 249, 253.
Ozonium, 248.
Sclerotinia, 248.
 rust, 166, 247.
Uromyces striatus, 167.
 violet root rot, 249.
 white top, 249.
 yellow leaf blotch, 248.
 yellows, 249.
 Almond, crown gall, 391.
 root knot, 391.
Alnus oregona, (see red alder), 409.
tenuifolia, (see mountain alder), 409.
Alopecurus geniculatus, *Puccinia graminis*, 263.

pratensis, *Scolecotrichum graminis*, 264.
 Alsike clover, (see clover), 250, 253.
Alternaria, apple, 314.
atrans, cowpea, 166, 256.
 soybean, 166, 257.
brassicae, cabbage, 107.
 cucumber, 118.
brassicae nigrescens, cantaloupe, 112.
 watermelon, 123.
 cabbage, 5.
 cantaloupe, 6.
crassa, *Datura stramonium*, 452.
Datura tatula, 453.
dianthi, carnation, 434.
 lettuce, 3.
radicina, carrot, 145.
 rhubarb, 2.
 (see *Macrosporium catalpae*), 412.
 sp., apple, 314.
 cotton, 128.
 golden seal, 454.
 lettuce, 153.
 palm, 442.
 pepper, 160.
 persimmon, 387.
 tobacco, 143.
 tomato, 3, 67.
 wheat, 214.
Alternaria spot, tomato, 67.
Alternariose, carnation, 434.
Althaea rosea, (see hollyhock), 438.
Amelanchier alnifolia, (see western service berry), 429.
 sp., (see service berry), 429.
Amerosporium oeconomicum, cowpea, 256.
Ampelopsis, leaf spot, 432.
 powdery mildew, 432.
quinquefolia, (see ampelopsis), 432.
tricuspidata, (see ampelopsis), 432.
Amphisphaeria decolorans, willow, 431.
Anemone, rust, 342.
Angelina rufescens, oak, 426.
 Angular leaf spot, bean, 96.
 cotton, 125, 481.
 cucumber, 117.
 Angular spot, tobacco, 2, 137.
 Ant canker, white pine, 404.
Anthostomella destruens, cranberry, 375.
Anthracnose, alfalfa, 248.
 apple, 305.
 barley, 224.

- basswood, 410.
 bean, 4, 91, 479, 480.
 blackberry, 372.
 camphor, 412.
 cantaloupe, 112.
 choke cherry, 413.
 citron, 114.
 citrus, 381.
 clover, 254.
 corn, 240.
 cotton, 123, 481.
 cucumber, 117.
 currant, 373.
 elm, 416, 417.
 Euonymus spp., 436.
 fig, 385.
 gooseberry, 374.
 grape, 359.
 guava, 387.
 hickory, 419.
 lettuce, 154.
 lima bean, 97.
 mango, 387.
 oak, 425.
 oats, 230.
 onion, 99.
 pea, 159.
 pecan, 390.
 pine, 407.
 poplar, 428.
 potato, 46.
 raspberry, 367.
 rye, 166, 217.
 slippery elm, 416.
 snapdragon, 448.
 sorghum, 246.
 spinach, 162.
 Sudan grass, 260.
 sugar maple, 422.
 sweet clover, 255.
 sycamore, 429.
 tomato, 66.
 watermelon, 6, 120.
 wheat, 166, 209.
 white elm, 416.
 white oak, 424.
 wild rose, 446.
 wing elm, 415.
 Antirrhinum spp., (see snapdragon), 447.
 Aphelenchus olesistus, chinese cabbage,
 3.
 Aphid injury, cowpea, 256.
 soybean, 257.
 Aplanobacter michiganense, tomato, 65.
 rhizoctonia, lettuce, 152.
 stewartii, corn, 237.
 Apple, anthracnose, 305.
 arsenical injury, 317.
 bark cankers, 314.
 bitter pit, 311, 319, 320.
 bitter rot, 288, 319, 320, 482.
 black rot, 291, 319, 320, 482.
 blister canker, 290, 319.
 blotch, 283, 319, 320, 482.
 blue mold rot, 313.
 brown rot, 314.
 canker, 314, 315.
 miscellaneous bark, 314.
 Septobasidium, 315.
 cedar rust, 482.
 cloud, 319, 320.
 collar rot, 304.
 copper injury, 316.
 crop losses, 462, 482, 483.
 crown gall, 308.
 Cytospora canker, 315.
 drought injury, 315.
 drought spot, 315.
 dry rot, 314.
 dusting versus spraying, 318.
 European canker, 306.
 fire blight, 299, 319, 483.
 fly-speck, 309.
 frog-eye, 293.
 frost injury, 273.
 fruit spot, 304.
 growth cracks, 316.
 heart rots, 315.
 imperfect pollination, 316.
 increase in production, 268, 273.
 jonathan spot, 312.
 leaf spot, 314.
 lenticel proliferation, 315.
 measles, 315.
 miscellaneous bark cankers, 314.
 fruit rots, 313.
 leaf spots, 313.
 non-parasitic diseases, 315.
 orchard disease survey, 318.
 Phytophthora syringae, 314.
 pink rot, 313.
 powdery mildew, 306.
 pox canker, 315.
 ripe rot, 314.
 root rot, 310, 311.
 Armillaria, 311.

- Hypholoma, 311.
 Ozonium, 311.
 Xylaria, 310.
 rosette, 315.
 rot, *Alternaria*, 314.
 Botrytis, 314.
 Cephalosporium, 314.
 Dothichiza, 314.
 Fusarium, 314.
 Penicillium, 314.
 Phoma, 314.
 Phyllosticta, 314.
 Rhizopus, 314.
 rust, 294, 319, 320.
 scab, 273, 319, 320, 483.
 sooty blotch, 309.
 spongy dry rot, 314.
 spray burn, 319, 320.
 spray injury, 316.
 sunburn canker, 315.
 sun scald, 315.
 water core, 312.
 wind injury, 316.
 winter injury, 316.
 Apricot, bacterial spot, 356.
 blight, 356.
 brown rot, 355.
 crown gall, 356.
 frost injury, 356.
 root knot, 356.
 scab, 356.
 shot hole, 356.
 Arborvitae, giant, cedar leaf blight, 394.
 Coryneum juniperinum, 394.
 red brown heartwood butt rot, 394.
 Phomopsis juniperovora, 394.
 wood rot, 394.
 Arbutus menziesii, (see madrona), 420.
 Arctostaphylos manzanita, (see manzanita), 457.
 uva-ursi, (see kinnikinnick), 456.
 Armillaria mellea, apple, 310, 311.
 potato, 48.
 scarlet oak, 424.
 sp., peach, 344.
 Arsenical injury, apple, 317.
 Artichoke, *Botrytis* rot, 143.
 Ascochyta blight, pea, 156.
 caulicola, sweet clover, 255.
 colorata, (see *Mollisia earliana*), 363.
 colorata, strawberry, 364.
 fragariae, (see *Mollisia earliana*), 363.
 strawberry, 364.
 gossypii, cotton, 128.
 medicaginis, alfalfa, 249.
 rhei, rhubarb, 2, 160.
 sp., hollyhock, 439.
 Ash, green, rust, 409.
 Ash, heart rot, 410.
 leaf spots, 410.
 rust, 410.
 Ash, mountain, canker, 410.
 frost injury, 410.
 rust, 410.
 Ash, Oregon, leaf blight, 410.
 Ash, red, leaf spot, 410.
 Ash, white, rust, 409.
 wood rot, 409.
 Asparagus fern, *Fusarium* sp., 432.
 Phoma sp., 432.
 Physarum sp., 433.
 Asparagus, *Fusarium* rot, 144.
 rust, 4, 143.
 stem spot, 144.
 twig canker, 144.
 Asparagus plumosus, (see asparagus fern), 433.
 Aspergillus niger, corn, 240.
 fig, 385.
 onion, 100.
 Aster, China, *Philospora* sp., 433.
 rust, 433.
 wilt, 433.
 yellows, 433.
 Aster sp., rust, 451.
 Avena fatua, halo blight, 230.
 sp., *Puccinia coronata*, 262.
 Averrhoa carambola, literature, 388.
 Avocado, black spot, 386.
 Pestalozzia sp., 386.
 scab, 386.

 B
 Bachelor's button, rust, 433.
 Bacillus amylovorus, apple, 299, 483.
 hawthorn, 418.
 loquat, 388.
 pear, 322, 486, 487.
 Prunus triloba plena, 325, 444.
 quince, 329.
 service berry, 429.

- aroideae, calla lily, 434.
 atrosepticus, potato, 473, 474.
 carotovorus, cabbage, 108.
 calla lily, 434.
 carrot, 5, 145.
 celery, 148.
 iris, 439.
 violet, 450.
 lathyri, horse bean, 259.
 lima bean, 97.
 nelliae, parsley, 155.
 phytophthorus, potato, 28.
 solanacearum, (see Bacterium
 solanacearum), 478.
 sorghi, sorghum, 245.
 Sudan grass, 246, 260.
 sp., horseradish, 110.
 tracheiphilus, cantaloupe, 112, 114.
 cucumber, 114.
 squash, 119.
 Bacteria, elm, 417.
 lettuce, 2.
 potato, 48.
 swiss chard, 3.
 Bacterial disease, lettuce, 152.
 swiss chard, 3, 163.
 Bacterial gummosis, cherry, 354.
 plum, 350.
 Bacterial pustule, soybean, 256.
 Bacterial rosette, lettuce, 152.
 Bacterial shot hole, peach, 341.
 Bacterial spot, apricot, 356.
 cowpea, 256.
 lettuce, 152.
 peach, 340.
 pepper, 160.
 plum, 349.
 tomato, 66.
 Bacterial stalk rot, corn, 166, 168.
 Bacterium angulatum, tobacco, 137.
 apii, celery, 148.
 aputatum, swiss chard, 163.
 atrofaciens, wheat, 215.
 campestre, brussels sprouts, 109.
 cabbage, 104.
 cauliflower, 109.
 rutabaga, 111.
 cerasi, cherry, 354.
 citri, citrus, 377.
 citriputeale, citrus, 381.
 coronafaciens, Avena fatua, 230.
 oats, 230.
 delphinii, larkspur, 440.
 dissolvens, corn, 166, 168, 238.
 erodii, geranium, 436.
 exitiosum, (see B. vesicatorium),
 160.
 flaccumfaciens, bean, 3, 97.
 soybean, 256.
 glycineum, soybean, 256.
 juglandis, walnut, 391.
 lachrymans, cucumber, 117.
 maculicolum, cauliflower, 109.
 malvacearum, cotton, 125, 481.
 marginale, lettuce, 152.
 medicaginis, alfalfa, 248.
 phaseoli, bean, 89, 479, 480.
 lima bean, 97.
 phaseoli sojense, soybean, 256.
 pruni, apricot, 356.
 peach, 340.
 plum, 349.
 solanacearum, cosmos, 436.
 dahlia, 435.
 peanut, 159.
 pepper, 160.
 potato, 46.
 soybean, 167, 256.
 tobacco, 142.
 tomato, 64, 478.
 sp., velvet bean, 258.
 tabacum, tobacco, 135.
 translucens, rye, 219.
 translucens undulosum, wheat, 208.
 tumefaciens, almond, 391.
 apple, 308.
 apricot, 356.
 blackberry, 372.
 cherry, 354.
 grape, 361.
 peach, 344.
 pear, 328.
 pecan, 390.
 plum, 350.
 raspberry, 368.
 sugar beet, 134.
 wild rose, 446.
 willow, 431.
 turnip, 111.
 vesicatorium, pepper, 160.
 tomato, 2, 66.
 vignae, cowpea, 166, 256.
 viridilividum, lettuce, 152.
 vitians, lettuce, 152.
 Balm of Gilead poplar, canker, 426.
 (see poplar), 426.

- Baldwin spot, (see bitter pit), 311.
 Banana, literature, 388.
 Barberry, eradication, 190.
 leaf spot, 433.
 Bark cankers, apple, 314.
 Barley, anthracnose, 224.
 black spotting of leaves, 224.
 covered smut, 219, 467, 468.
 crop losses, 462, 467, 468.
 ergot, 224.
 leaf blotch, 224.
 leaf rust, 221, 467, 468.
 loose smut, 220, 467, 468.
 net blotch, 222.
 powdery mildew, 224.
 Puccinia simplex, 167.
 Rhynchosporium secalis, 167.
 root rots, 223.
 rusty spot, 224.
 scab, 223.
 scald, 223.
 spot blotch, 223.
 stem rust, 220, 467, 468.
 stripe, 222, 467, 468.
 stripe rust, 166, 196, 221.
 Basal glume rot, wheat, 215.
 Basisporium gallarum, tomato, 3, 67.
 Basswood, anthracnose, 410.
 Phyllosticta tiliae, 410.
 Bastard blossom, periwinkle, 443.
 Bean, angular leaf spot, 96.
 anthracnose, 4, 91, 479, 480.
 bacterial blight, 4, 89, 479, 480.
 Bacterium flaccumfaciens, 3, 97.
 chlorosis, 96.
 crop losses, 462, 479, 480.
 hopperburn, 96.
 leaf spot, 96.
 mosaic, 4, 94, 479, 480.
 pod rot, 96.
 pod spot, 96.
 powdery mildew, 95.
 Rhizoctonia stem rot, 96.
 root knot, 96.
 root rot, 2, 4, 479, 480.
 Fusarium, 2, 95.
 Ozonium, 96.
 Rhizoctonia, 2.
 Texas, 96.
 Thielavia, 2.
 rust, 93.
 southern blight, 96.
 Texas root rot, 96.
 vine rot, 96.
 wilt, Sclerotium, 96.
 Beet, leaf spot, 145.
 root disease, 145.
 root knot, 145.
 scab, 144.
 wilt, 145.
 Begonia, nematodes, 434.
 sp., (see begonia), 434.
 Bent grass, brown patch, 260.
 Berberis sp., (see barberry), 433.
 Betula fontinalis, (see western red birch), 410.
 lenta, (see sweet birch), 410.
 papyrifera, (see paper birch), 411.
 populifolia, (see white birch), 411.
 spp., (see birch), 411.
 Birch, leaf spot, 411.
 Birch, paper, powdery sapwood rot, 411.
 white wood, 411.
 wood rot, 411.
 Birch, sweet, canker, 411.
 Birch, western red, leaf spot, 410.
 powdery mildew, 411.
 Birch, white, Melanconium betulinum, 411.
 Septoria betulina, 411.
 Bitter pit, apple, 311, 319, 320.
 pear, 328.
 Bitter rot, apple, 288, 319, 320, 482.
 cranberry, 375.
 Blackberry, anthracnose, 372.
 blue stem, 373.
 crown gall, 372.
 double blossom, 373.
 leaf spot, Cercospora, 373.
 Mycosphaerella, 372.
 mosaic, 373.
 rusts, 372, 373.
 winter injury, 373.
 Black chaff, wheat, 208.
 Black currant, white pine blister rust, 405.
 Black dot, potato, 46.
 Black end, pear, 328.
 Blackened cob, corn, 240.
 Blackfire, tobacco, 137.
 Black heart, celery, 148.
 potato, 50.
 sweet potato, 88.
 Black knot, black cherry, 413.
 cherry, 354.
 plum, 350.

- western choke cherry, 413.
 Black leaf, pear, 328.
 Blackleg, brussels sprouts, 109.
 cabbage, 5, 106.
 cauliflower, 110.
 potato, 3, 28, 473, 474.
 Black mold, cabbage, 107.
 corn, 240;
 onion, 100.
 Black mold rot, peach, 342.
 Black pit, pecan, 390.
 Black point, wheat, 214.
 Black root, radish, 111.
 Black root rot, sweet pea, 450.
 tobacco, 138.
 violet, 450.
 Black rot, apple, 291, 319, 320, 482.
 brussels sprouts, 109.
 cabbage, 5, 104.
 carrot, 145.
 cauliflower, 109.
 grape, 357, 490.
 pear, 328.
 quince, 330.
 rutabaga, 111.
 sweet potato, 82, 83, 477.
 Black smut, fig, 385.
 Black specked leaf spot, maple, 423.
 Black spot, avocado, 386.
 Black spotting of leaves, barley, 224.
 Blast, citrus, 381.
 oats, 230.
 rice, 240.
 Blazing star, (see *Liatris graminifolia*), 457.
 Blight, *Alternaria*, golden seal, 454.
 Ascochyta, cotton, 128.
 pea, 156.
 bacterial, alfalfa, 248.
 bean, 4, 89, 479, 480.
 larkspur, 440.
 lima bean, 97.
 loquat, 388.
 pea, 158.
 pear, 322.
 raspberry, 371.
 rye, 219.
 sorghum, 245.
 soybean, 256.
 Sudan grass, 260.
 tomato, 64.
 walnut, 391.
 Botrytis, golden seal, 454.
 peony, 442.
 Cercospora, mulberry, 375.
 chestnut, 413.
 citrus, 383.
 Coryneum, apricot, 356.
 peach, 342.
 cranberry, 375.
 Fusarium, spinach, 162.
 Helminthosporium, wheat, 206.
 Lophodermium, pine, 407.
 Mycosphaerella, pea, 156.
 Phomopsis, eggplant, 150.
 Sclerotium, tomato, 65.
 Septoria, tomato, 478.
 Blister canker, apple, 290, 319.
 Bloom drop, mango, 387.
 Blossom blight, mango, 387.
 pear, 329.
 Blossom drop, tomato, 67.
 Blossom end disease, watermelon, 3.
 Blossom end rot, citrus, 382.
 tomato, 62.
 watermelon, 121.
 Blotch, apple, 283, 319, 320, 482.
 Blueberry, (see *Vaccinium* sp.), 461.
 Blue grass, brown patch, 260.
 Blue mold rot, apple, 313.
 citrus, 381.
 grape, 360.
 plum, 350.
 raspberry, 371.
 Blue stem, blackberry, 373.
 raspberry, 371.
 Boll rots, cotton, 128.
 Borage, Rio Grande disease, 451.
 Botryosphaeria dothidea, wild rose, 446.
 ribis, currant, 373.
 sp., black gum, 417.
 Botrytis allii, onion, 100.
 apple, 314.
 artichoke, 143.
 cinerea, lettuce, 152.
 (see *Sclerotinia fuckeliana*), 444.
 plum, 350.
 sp., geranium, 437.
 golden seal, 454.
 raspberry, 371.
 strawberry, 365.
 wild rose, 446.
 spp., peony, 442.
 vulgaris, sweet potato, 87.

Bottom rot, lettuce, 4, 152.
 Box elder, leaf spot, 421.
 Septomyxa negundinis, 421.
 Box, *Macrophoma candollei*, 434.
 Volutella buxi, 434.
 Bremia lactucae, lettuce, 153.
 Broad leaf spot, tobacco, 142.
 Broken straw, wheat, 214.
 Brome grass, (see *Bromus inermis*), 264.
 Bromus adoensis, *Puccinia glumarum*,
 263.
 erectus, *Puccinia glumarum*, 263.
 inermis, *Helminthosporium bromi*,
 261.
 Helminthosporium giganteum, 261.
 Septoria bromi, 167.
 sp., 264.
 lanuginosus, *Puccinia glumarum*, 263.
 macrostachys, *Puccinia glumarum*,
 263.
 maximus, *Puccinia glumarum*, 263.
 porteri frondosus, *Puccinia glumarum*,
 263.
 purgans latiglumis, *Puccinia gluma-*
 rum, 263.
 richardsonii, *Puccinia glumarum*,
 263.
 rigidus, *Puccinia glumarum*, 263.
 secalinus, *Ophiobolus cariceti*, 262.
 sp., *Puccinia graminis*, 263.
 spp., *Puccinia clematidis*, 262.
 smut, 263.
 Brown leaf spot, pecan, 390.
 Brown patch, bent grass, 260.
 blue grass, 260.
 fescue grass, 260.
 red top, 260.
 Brown rot, apple, 314.
 apricot, 355.
 cherry, 353, 489.
 choke cherry, 413.
 peach, 330, 484, 485.
 plum, 346, 488.
 Brown rot gummosis, citrus, 382.
 Brown spot, corn, 237, 471.
 tobacco, 143.
 Brown trunk rot, western larch, 398.
 Brussels sprouts, blackleg, 109.
 black rot, 109.
 Buckeye, California, leaf spot, 411.
 Buckeye, leaf blotch, 411.
 Buckeye rot, tomato, 66.
 Buckthorn, crown rust, 411.

Bud rot, peony, 442, 443.
 Bunched red roots, celery, 149.
 Bunt, rye, 219.
 wheat, 166, 169, 463, 464.
 Bur clover, leaf spot, 255.
 Bursa bursa-pastoris, white rust, 451.
 Butternut, melanconis, 412.
 Buttonweed, (see *Diodia teres*), 453.
 Butt rot, scarlet oak, 424.
 silver fir, 394.
 western hemlock, 397.
 white elm, 416.
 Buxus sempervirens, (see box), 434.

C

Cabbage, *Alternaria*, 5.
 blackleg, 5, 106.
 black mold, 107.
 black rot, 5, 104.
 club root, 100.
 downy mildew, 108.
 drop, 109.
 dying, 109.
 head rot, 109.
 lack of heading, 109.
 leaf spot, 107.
 Rhizoctonia solani, 109.
 ring spot, 108.
 root knot, 109.
 root rot, 109.
 slimy soft rot, 108.
 soft rot, 109.
 stem rot, 109.
 yellowing, 109.
 yellows, 4, 102.
 Cactus, charcoal spot, 451.
 damping off, 451.
Caeoma abietis-canadensis, (see *Me-*
 lampsora abietis-canadensis), 397.
Calamagrostis americana, *Claviceps*
 purpurea, 261.
 Calico, potato, 4, 41, 42.
 Calla lily, soft rot, 434.
Callistephus chinensis, (see *China*
 aster), 433.
Calypsotheca goeppertiana, *Vaccinium*
 sp., 461.
Camarosporium eleagnellum, *Eleagnus*
 angustifolia, 415.
Camellia japonica, (see *camellia*),
 434.
 leaf spot, 434.

- Camphor, anthracnose, 412.
 canker, 412.
 leaf spot, 412.
 Pestalozzia sp., 412.
 Cane blight, currant, 373.
 raspberry, 368, 371.
 wild rose, 446.
 Canker, apple, 314, 315.
 bark, apple, 314.
 Botryosphaeria, wild rose, 446.
 citrus, 377.
 Creonectria, sweet birch, 411.
 Cytospora, apple, 314.
 Balm of Gilead poplar, 426.
 black cottonwood poplar, 427.
 Carolina poplar, 426.
 elder, 415.
 mountain ash, 410.
 poplar, 427.
 quaking aspen poplar, 427.
 red alder, 409.
 western choke cherry, 413.
 willow, 431.
Diplodia, camphor, 412.
 fig, 386.
 European, apple, 306.
 poplar, 428.
 fig, 386.
 Fusarium, *Humulus lupulus*, 456.
 Fusicoccum, apple, 314.
 chestnut, 414.
 Leptosphaeria, apple, 315.
 wild rose, 446.
 Lombardy poplar, 426.
 Macrophoma, fig, 386.
 miscellaneous bark, apple, 314.
 Myxosporium, apple, 314.
 Nectria, apple, 306.
 pear, 328.
 walnut, 391.
 physiological, pear, 328.
 pox, apple, 315.
 Rosellinia, hickory, 419.
 Septobasidium, apple, 315.
 pear, 328.
 sequoia, 408.
 Sphaeropsis, elm, 417.
 white elm, 416.
 Tubercularia, fig, 386.
 sycamore, 430.
 walnut, 391.
 Cantaloupe, *Alternaria*, 6.
 anthracnose, 112.
 bacterial wilt, 112, 114.
 downy mildew, 113.
 fruit spot, 114.
 hail injury, 114.
 leaf blight, 112.
 leaf mold, 112.
 leaf spot, 114.
 mosaic, 113.
 root knot, 114.
 southern blight, 114.
 spray injury, 114.
 wilt, 114.
Capriola dactylon, *Helminthosporium giganteum*, 261.
 Puccinia cynodontis, 262.
 Carnation, *alternariosa*, 434.
 chlorosis, 435.
 root knot, 434.
 rust, 434.
 stem rot, 434.
 white tip, 435.
 wilt, 434.
 Carrot, *Bacillus carotovorus*, 5.
 black rot, 145.
 leaf blight, 145.
 leaf spot, 145.
 nematode, 145.
 Rio Grande disease, 3, 145.
 soft rot, 145.
 watery soft rot, 145.
 Cascara, leaf rust, 412.
 leaf spot, 412.
Castanea dentata, (see chestnut), 413.
Castilleja angustifolia, (see Indian paint brush), 456.
Catalpa bignonioides, (see catalpa), 412.
 catalpa, (see catalpa), 412.
 leaf spot, 412, 413.
 Phyllosticta catalpae, 412.
 powdery mildew, 413.
 sp., (see catalpa), 412.
 Catface, tomato, 67.
 Catkin deformation, mountain alder, 409.
 Cauliflower, blackleg, 110.
 black rot, 109.
 club root, 110.
 peppery spot, 109.
 ring spot, 110.
 stem rot, 110.
Ceanothus velutinus, *Cylindrosporium ceanothi*, 452.

- Cedar leaf blight, giant arborvitae, 394.
- Cedar rust, apple, 482.
(see also rust), 294.
- Cedar, white, rust, 394.
- Cedar, yellow, rust, 394.
- Celery, bacterial leaf spot, 148.
black heart, 148.
bunched red roots, 149.
damping off, 149.
dusting, 6.
early blight, 147.
frost injury, 149.
heart rot, 148.
late blight, 4, 146.
mosaic, 2, 149.
root knot, 149.
root rot, 149.
slime mold, 149.
soft rot, 148.
stem browning, 149.
watery soft rot, 148.
yellows, 2, 4, 147.
- Celtis occidentalis*, (see hackberry), 417.
- Centaurea cyanus*, (see bachelor's button), 433.
- Cephaleuros virescens*, camphor, 412.
- Cephalosporium*, apple, 314.
- Cephalothecium roseum*, apple, 313.
- Cercospora althaeina*, hollyhock, 439.
angulata, currant, 373.
apii carotae, carrot, 145.
apii, celery, 147.
parsley, 155.
armoraciae, horseradish, 110.
asparagi, asparagus, 144.
beticola, beet, 145.
sugar beet, 132.
swiss chard, 163.
bliti, blackberry, 373.
bolleana, fig, 385.
circumscissa, peach, 344.
citrullina, watermelon, 123.
coffeicola, coffee, 452.
conours, potato, 46.
cruenta, bean, 96.
cowpea, 167, 256.
cucurbitae, cantaloupe, 114.
flagelliformis, spinach, 162.
fusca, pecan, 390.
gossypina, cotton, 128.
lippiae, *Lippia lanceolata*, 457.
mali, apple, 314.
medicaginis, alfalfa, 249.
moricola, (see *C. sp.*), 375.
nicotianae, tobacco, 142.
persnata, peanut, 159.
rhubarb, 2.
sp., clover, 255.
mulberry, 375.
mustard, 111.
pepper, 160.
rhubarb, 160.
velvet bean, 258.
stizlobii, *Stizolobium pruriens*, 258.
Stizolobium spp., 258.
velvet bean, 258.
vaginae, sugar cane, 131.
- Cercospora pastinaceae*, parsley, 155.
persicae, peach, 344.
sp., turnip, 111.
- Cereal diseases, 164.
- Cereals, diseases for observation, 167.
mosaic diseases, 168.
new diseases, 166.
new hosts, 166.
new locations, 167.
new occurrences, 166.
relative prevalence in 1922, 166.
stem rust, 166.
- Certification, sweet potato, 6, 69.
- Chaemacyparis nootkatensis*, (see yellow cedar), 394.
thyoides, (see white cedar), 394.
- Chaenomeles japonica*, (see Japanese flowering quince), 444.
- Chaetochloa italica*, *Sclerospora graminicola*, 264.
lutescens, *Ustilago neglecta*, 264.
viridis, *Sclerospora graminicola*, 264.
- Charcoal rot, sweet potato, 87.
- Charcoal spot, cactus, 451.
- Chemical injury, white pine, 404.
- Cherry, bacterial gummosis, 354.
black knot, 354.
brown rot, 353, 489.
crop losses, 489.
crown gall, 354.
frost injury, 355.
fruit rot, 355.
imperfect pollination, 355.
leaf spot, 351, 489.

- powdery mildew, 354.
- root trouble, 355.
- scab, 354.
- spray injury, 355.
- winter injury, 355.
- Cherry, black, black knot, 413.
- leaf spot, 413.
- Polyporus sulphureus, 413.
- powdery mildew, 413.
- Cherry, choke, anthracnose, 413.
- brown rot, 413.
- powdery mildew, 413.
- rust, 413.
- Volutella nectrioides, 413.
- Cherry, western choke, black knot, 413.
- canker, 413.
- leaf blisters, 413.
- leaf injury, 413.
- sclerotiniase, 413.
- Chestnut, blight, 413.
- canker, 414.
- leaf spot, 415.
- Nummularia sp., 415.
- powdery mildew, 415.
- Chicory, root knot, 149.
- Chinese cabbage, *Aphelenchus olesis-*
 tus, 3.
- leaf nematode, 110.
- new leaf disease, 110.
- Chlorosis, bean, 96.
- carnation, 435.
- currant, 373.
- maple, 423.
- peach, 345.
- peanut, 160.
- plum, 351.
- soybean, 257.
- sweet potato, 89.
- wild rose, 447.
- Chocolate spot, horse bean, 259.
- Chrysanthemum hortorum, (see chrysan-
 themum); 435.
- leaf spot, 435.
- powdery mildew, 435.
- Chrysomyxa weirii, Engelmann spruce,
 408.
- Cinnamomum camphora, (see camphor), 412.
- Citron, anthracnose, 114.
- Citrus, anthracnose, 381.
- blast, 381.
- blight, 383.
- blossom end rot, 382.
- blue mold rot, 381.
- brown rot gummosis, 382.
- canker, 377.
- damping off, 383.
- die-back, 383.
- foot rot, 382.
- frost injury, 376.
- fruit rot, 381.
- gummosis, 382.
- lime withertip, 383.
- melanose, 379.
- mottle leaf, 383.
- nailhead rust, 382.
- oil burn, 383.
- psorosis, 382.
- scab, 378.
- scaly bark, 382.
- Septobasidium pedicellatum, 383.
- sooty mold, 383.
- spray injury, 383.
- star melanose, 383.
- stem end rot, 380.
- sulphur sunburn, 383.
- wither tip, 381.
- Cladosporium carpophilum, apricot, 356.
- cherry, 354.
- peach, 338, 484, 485.
- plum, 350.
- cucumerinum, cantaloupe, 114.
- cucumber, 118.
- fulvum, tomato, 64.
- herbarum citricolum, citrus, 382.
- paeoniae, peony, 443.
- sp., corn, 240.
- snapdragon, 449.
- viticolum, grape, 361.
- Clasterosporium caricinum, Scirpus
 occidentalis, 459.
- laciniariae, Liatris graminifolia,
 457.
- Calviceps purpurea, Agropyron repens,
 261.
- Agropyron smithii, 261.
- barley, 224.
- Calamagrostis americana, 261.
- Elymus macounii, 261.
- rye, 218, 465, 466.
- Spartina pectinata, 261.
- wheat, 212.
- Clematis, rust, 436.
- virginiana, (see clematis), 436.
- Clitocybe sp., peach, 344.
- spp., grape, 361.
- Cloud, apple, 319, 320.

- Clover, anthracnose, 254.
 dodder, 255.
 leaf spot, *Macrosporium*, 255.
 Pseudopeziza, 254.
 Sphaerulina, 254.
 mold, 255.
 mosaic, 255.
 nematode, 168, 254.
 powdery mildew, 168, 250.
 root rots, 253.
 Fusarium, 253.
 Sclerotinia, 253.
 rusts, 253.
 sooty spot, 255.
 spot, 255.
 Club root, cabbage, 100.
 cauliflower, 110.
Coccomyces hiemalis, cherry, 351, 489.
 lutescens, black cherry, 413.
 prunophorae, choke cherry, 413.
 plum, 349.
 Coconut, literature, 392.
Coffea spp., (see coffee), 452.
 Coffee, leaf spot, 452.
 Coffee tree, Kentucky, *Coniothyrium*
 olivaceum gymnocladi, 415.
Coleosporium delicatulum, Arizona long-
 leaf pine, 400.
 Corsican pine, 401.
 Euthamia spp., 453.
 loblolly pine, 407.
 longleaf pine, 401.
 pitch pine, 403.
 pond pine, 403.
 red pine, 403.
 shortleaf pine, 400.
 slash or swamp pine, 399.
helianthi, *Helianthus* spp., 455.
 jack pine, 400.
 scrub pine, 407.
 shortleaf pine, 400.
 inconspicuum, *coreopsis*, 452.
 longleaf pine, 401.
 shortleaf pine, 400.
narcissi, monarda, 441.
solidaginis, *Aster* sp., 451.
 China aster, 433.
 sp., *Verbesina* spp., 461.
terebinthinaceae, loblolly pine, 407.
 longleaf pine, 401.
 Parthenium integrifolium, 458.
 pitch pine, 403.
 pond pine, 403.
 shortleaf pine, 400.
 Silphium spp., 460.
 vernoniae, shortleaf pine, 400.
 Collaborators, list of, Supl. 29.
 Collar blight, tomato, 65.
 Collar rot, apple, 304.
Colletotrichum antirrhini, snapdragon,
 448.
 atramentarium, potato, 46.
 cereale, barley, 224.
 oats, 230.
 rye, 217.
 Sudan grass, 260.
 wheat, 209.
 circinans, onion, 99.
 falcatum, sugar cane, 130.
 gloeosporioides, avocado, 386.
 citrus, 381.
 mango, 387.
 gossypii, cotton, 481.
 graminicolum, corn, 240.
 kentiae, *Kentia balmoreana*, 439.
 lagenarium, cantaloupe, 112.
 citron, 114.
 cucumber, 117.
 watermelon, 120.
 lindemuthianum, bean, 91, 479, 480.
 lima bean, 97.
 phomoides, tomato, 66.
 pisi, pea, 159.
 sp., cotton, 128.
 pine, 407.
 sorghum, 246.
 spinaceae, spinach, 162.
 trifolii, alfalfa, 248.
 clover, 254.
 sweet clover, 255.
Collybia velutipes, horsechestnut,
 420.
 Common scab, potato, 24.
 Cone rust, hemlock, 397.
 Conifers, diseases, 394.
Coniothyrium fuckelii, (see *Leptos-*
 phaeria coniothyrium), 315,
 446.
 hellebori, hellebore, 438.
 olivaceum gymnocladi, Kentucky
 coffee tree, 415.
 Control measures, progress, 5.
 mosaic, 5.
 potato late blight, 10.
 Copper injury, apple, 316.
 Coral spot, horsechestnut, 420.

- Coreopsis, rust, 452.
 spp., (see coreopsis), 452.
 Cork spot, plum, 351.
 Corn, anthracnose, 240.
 bacterial stalk rot, 166, 168, 238.
 bacterial wilt, 237.
 Bacterium dissolvens, 166.
 blackened cob, 240.
 black mold, 240.
 brown spot, 237, 471.
 crop losses, 462, 471, 472.
 Diplodia seedling blight, 166.
 dry rot, 236.
 ear mold, 236.
 ear rots, 236, 472.
 head smut, 168, 233.
 Helminthosporium leaf blight, 166.
 Helminthosporium sp., 239.
 leaf blight, 239.
 leaf rust, 472.
 leaf spots, 240.
 mosaic, 168, 238.
 purple sheath spot, 240.
 root rots, 233.
 Fusarium, 233, 471, 472.
 Gibberella, 233.
 rust, 233.
 smut, 166, 231, 471.
 stalk rots, 233.
 bacterial, 168, 238.
 Fusarium, 233.
 Gibberella, 233.
 yellow speck, 240.
 Cornus nuttallii, (see dogwood), 415.
 Corroded roots, ginseng, 151.
 Corrugated mosaic, potato, 41.
 Coriscan pine, rust, 401.
 Corticium laetum, fig, 386.
 stevensii, pear, 328.
 tomato, 2.
 vagum, bean, 96.
 potato, 19.
 sugar beet, 134.
 tomato, 59.
 vagum solani, strawberry, 366.
 Corylus californica, (see California hazelnut), 418.
 Coryneum beijerinckii, apricot, 356.
 peach, 342.
 juniperinum, giant arborvitae, 394.
 Cosmos sp., (see cosmos), 436.
 wilt, 436.
 Cotoneaster horizontalis, (see cotoneaster), 435.
 Cotoneaster, Phyllosticta horizontalis, 435.
 Cotton, angular leaf spot, 125, 481.
 anthracnose, 123, 481.
 Ascochyta blight, 128.
 boll rots, 128.
 crop losses, 462, 481.
 Fusarium wilt, 124, 481.
 leaf spot, Alternaria, 128.
 Cercospora, 128.
 potash hunger, 129.
 root knot, 128, 481.
 root rot, 126.
 rust, 128.
 sooty mold, 129.
 sore shin, 128.
 sunburn, 129.
 Texas root rot, 126.
 wilt, Fusarium, 124, 481.
 Covered kernel smut, sorghum, 245.
 Covered smut, barley, 219, 467, 468.
 oats, 469, 470.
 Cowpea, Alternaria atrans, 166, 256.
 aphid injury, 256.
 bacterial spot, 256.
 Bacterium vignae, 166, 256.
 Cercospora cruenta, 167.
 leaf spot, Amersporium, 256.
 Cercospora, 256.
 mosaic, 168, 256.
 powdery mildew, 256.
 root rot, 256.
 rust, 256.
 sunburn, 256.
 wilt, Fusarium, 256.
 Cranberry, bitter rot, 375.
 blight, 375.
 early rot, 375.
 end rot, 375.
 false blossom, 375.
 fruit rots, 374.
 Fusicoccum putrefaciens, 374, 375.
 Glomerella rufomaculans vaccinii, 374.
 hard rot, 375.
 leaf smudge, 375.
 Phomopsis, 375.
 red leaf spot, 375.
 rosebloom, 374, 375.
 Sclerotinia oxycocci, 375.
 Sporonema oxycocci, 375.

- storage rot, 375.
Crataegus chrysocarpus, (see hawthorn), 418.
 douglasi, (see hawthorn), 418.
 oxyacantha, (see hawthorn), 418.
 spp., (see hawthorn), 418.
Creonectria coccinea, sweet birch, 411.
 Cress, stem rot, 110.
 Crimson clover, (see clover), 253.
 Crinkled joint, wheat, 215.
 Crinkle, potato, 4, 41.
Cronartium cerebrum, jack pine, 400.
 scrub pine, 407.
 comptoniae, lodgepole pine, 399.
 filamentosum, lodgepole pine, 399.
 harknessii, Indian paint brush, 456.
 lodgepole pine, 399.
 western yellow pine, 402.
 helianthi, jack pine, 400.
 pyriforme, western yellow pine, 402.
 ribicola, black currant, 405.
 Ribes cynosbati, 405.
 nigrum, 405.
 rotundifolium, 405.
 spp., 459.
 western white pine, 401.
 white pine, 404.
 strobilinum, pine, 408.
 Crop losses, 462.
 apple, 462, 482, 483.
 barley, 462, 467, 468.
 bean, 462, 479, 480.
 cherry, 489.
 corn, 462, 471, 472.
 cotton, 462, 481.
 grape, 490.
 oats, 462, 469, 470.
 peach, 462, 484, 485.
 pear, 486, 487.
 plum, 488.
 potato, 462, 473, 474, 475, 476.
 raspberry, 490.
 rye, 462, 465, 466.
 sweet potato, 462, 477.
 tomato, 478.
 wheat, 462, 463, 464.
 Crown gall, almond, 391.
 apple, 308.
 apricot, 256.
 blackberry, 372.
 cherry, 354.
 grape, 361.
 peach, 344.
 pear, 328.
 pecan, 390.
 plum, 350.
 raspberry, 368.
 sugar beet, 134.
 wild rose, 446.
 willow, 431.
 Crown rot, rhubarb, 160.
 spinach, 163.
 sugar beet, 134.
 Crown rust, buckthorn, 411.
 oats, 227, 469, 470.
 Rhamnus cathartica, 229.
 Crown wart, alfalfa, 248.
 Crucifers, diseases of, 100.
Cryptantha intermedia, *Synchytrium myosotidis*, 452.
Cryptosporella viticola, grape, 361.
Cryptosporium pini, white pine, 404.
Cryptostictis sp., rhododendron, 444.
 Cucumber, angular leaf spot, 117.
 anthracnose, 117.
 damping off, 119.
 downy mildew, 118.
 leaf spot, *Alternaria*, 118.
 Macrosporium, 119.
 mosaic, 116.
 powdery mildew, 119.
 root knot, 119.
 scab, 118.
 slime mould, 119.
 stem rot, 119.
 white tips, 119.
 wilt, bacterial, 114.
 Fusarium, 119.
 Cucurbits, diseases of, 112.
 Curly dwarf, potato, 4, 41, 48.
 (see mosaic), 48.
 Curly top, sugar beet, 133.
 swiss chard, 163.
 Currant, anthracnose, 373.
 cane blight, 373.
 chlorosis, 373.
 leaf spot, *Cercospora*, 373.
 Mycosphaerella, 373.
 Septoria, 373.
 root rot, 373.
Cuscuta sp., clover, 255.
 sunflower, 259.
 spp., alfalfa, 249.
Cylindrosporium californicum, Oregon ash, 410.
 ceanothi, *Ceanothus velutinus*, 452.

padi, apricot, 356.
 (see *Coccomyces prunophorae*),
 413.
 sp., dwarf maple, 420.
 hawthorn, 418.
 spiraeicolum, *Spiraea douglasii*, 460.
Cynodon dactylon, (see *Capriola dactylon*), 261.
Cystospora batata, sweet potato, 5,
 86, 477.
Cytospora canker, apple, 315.
chrysosperma, Balm of Gilead poplar, 426.
 black cottonwood poplar, 427.
 Carolina poplar, 426.
 elder, 415.
 mountain ash, 410.
 poplar, 427.
 quaking aspen poplar, 427.
 western choke cherry, 413.
 willow, 431.
 sp., apple, 315.
 red alder, 409.

D

Dactylis glomerata, *Erysiphe graminis*,
 261.
Puccinia graminis, 263.
Uromyces dactylidis, 167, 264.
Daedalea berkeleyi, pine, 407.
Dahlia, mosaic, 435.
 powdery mildew, 435.
 root knot, 435.
 root rot, 435.
 sp., (see *dahlia*), 435.
 wilt, 435.
 yellows, 435.
 Damping off, cactus, 451.
 celery, 149.
 citrus, 383.
 cucumber, 119.
 eggplant, 150.
 lettuce, 154.
 mangel, 155.
 pea, 159.
 radish, 111.
 red pine, 403.
 scotch pine, 407.
 spinach, 162.
 sugar beet, 134.
 tobacco, 143.
 tomato, 65.

white pine, 404.
 Dartrose, (see black dot), 46.
 Date, leaf spot, 386.
Datura stramonium, leaf blight, 452.
tatula, leaf blight, 453.
 Dead arm, grape, 361.
 Decay of stalk, sorghum, 246.
 Decaying seed pieces, potato, 45.
 Decay, watermelon, 122.
 Degeneration discases, potato, 40.
Delphinium sp., (see larkspur), 440.
Dendrophoma obscurans, strawberry,
 366.
 Dewberry, (see blackberry), 373.
Dianthus caryophyllus, (see carnation), 434.
Diaporthe batatatis, sweet potato,
 87.
juglandis, (see *Melanconis juglandis*), 412.
phaseolorum, lima bean, 97.
Didymella chamaecyparissi, *Lycopodium complanatum flabelliforme*, 457.
 sp., *camellia*, 434.
Didymellina iridia, iris, 439.
 Die-back, citrus, 383.
 mango, 387.
 peach, 344.
Digitalis purpurea, new abnormality,
 435.
Digitaria sanguinalis, (see *Syntherisma sanguinalis*), 262.
Dimerium sp., western hemlock, 397.
Dimerosporium collinsii, western service berry, 429.
Diodia teres, rust, 453.
Diploocarpon rosae, (see *Actinonema rosae*), 445.
Diplodia, corn, 166.
gossypina, cotton, 128.
natalensis, citrus, 380.
 mango, 387.
 sp., camphor, 412.
 citrus, 382.
 watermelon, 121.
suberina, chestnut oak, 425.
sycina syncophila, fig, 386.
taxi, western yew, 408.
stubericola, sweet potato, 87.
zeae, corn, 236.
 Disease caused by *Septoria* spp.,
 wheat, 209.
 Disease, fruit or blossom, tomato, 66.

- Diseases of stem, tomato, 65.
 Diseases for observation, cereals, 167.
 Diseases of pome fruits, 273.
 Diseases of stone fruits, 330.
Distichlis spicata, *Puccinia subnitens*, 263.
 Dock, leaf spot, 453.
 Dodder, alfalfa, 249.
 clover, 255.
 sunflower, 259.
 Dogwood, European canker, 415.
 powdery mildew, 415.
 Dothichiza, apple, 314.
 populea, poplar, 428.
Dothidella ulmea, (see *Gnomonia ulmea*), 415.
Dothiorella pinastri, scotch pine, 407.
 Double blossom, blackberry, 373.
 Douglas fir blight, balsam fir, 395.
 Douglas fir, 396.
 hemlock, 396, 397.
 Japanese larch, 396, 399.
 western hemlock, 397.
 western larch, 399.
 Douglas fir mistletoe, Douglas fir, 396.
 Downy mildew, alfalfa, 248.
 cabbage, 108.
 cantaloupe, 113.
 cucumber, 118.
 grape, 358.
 Humulus lupulus, 356.
 lettuce, 3, 153.
 lima bean, 96.
 onion, 99.
 pea, 159.
 pumpkin, 119.
 radish, 111.
 soybean, 256.
 spinach, 161.
 squash, 119.
 sunflower, 259.
 watermelon, 123.
 Drop, cabbage, 109.
 lettuce, 151.
 Dropsy, geranium, 438.
 Drought injury, apple, 315.
 potato, 51.
 sycamore, 430.
 watermelon, 123.
 Drought spot, apple, 315.
 Dry rot, apple, 314.
 corn, 236.
 gladiolus, 438.
 sweet potato, 87.
 white pine, 403.
 Dry rot canker, sugar beet, 134.
Duchesnea indica, *Peronospora potentillae*, 453.
 Dusting, 6.
 celery, 6.
 versus spraying, apple, 318.
 Dwarfing, lettuce, 152, 154.
 Dying, cabbage, 109.
 Dying of needles, pitch pine, 403.
- E
- Earlea speciosa*, wild rose, 446.
 spp., wild rose, 446.
 Early blight, celery, 147.
 potato, 11, 475, 476.
 tomato, 59, 478.
 Early meadow rue, (see *Thalictrum dioicum*), 461.
 Early rot, cranberry, 375.
 Ear mold, corn, 236.
 Ear rot, corn, 235, 472.
 Eastern blue stem, raspberry, 369.
Echinodontium tinctorium, Engelmann spruce, 408.
 lowland fir, 395.
 western hemlock, 397.
 Ecological observations, 3.
 Eggplant, damping off, 150.
 blight, 150.
 fruit rot, 149.
 leaf spot, 149, 150.
 mosaic, 150.
 Phytophthora terrestris, 150.
 undetermined disease, 150.
 wilt, 150.
Elaeagnus angustifolia, *Camarosporium elaeagnellum*, 415.
 Elder, canker, 415.
 Elder, marsh, *Aecidium ivae*, 415.
Eleusine indica, *Helminthosporium giganteum*, 261.
Elfvingia megaloma, white elm, 416.
 Elm, anthracnose, 416, 417.
 canker, 417.
 slime flux, 417.
 Texas root rot, 417.
 twig blight, 417.
 Elm, slippery, anthracnose, 416.

- Elm, white, aborted nuts, 416.
 anthracnose, 416.
 butt rot, 416.
 canker, 416.
 Macrophoma sp., 416.
 powdery mildew, 416.
 red heart rot, 416.
 twig blight, 416.
 wood rot, 416.
 Elm, wing, anthracnose, 415.
Elymus canadensis, *Erysiphe graminis*, 261.
 Phyllachora graminis, 262.
 Puccinia graminis, 263.
 macounii, *Claviceps purpurea*, 261.
 spp., *Puccinia clematidis*, 262.
 virginicus, *Helminthosporium giganteum*, 261.
 Puccinia graminis, 263.
Empoasca mali, bean, 96.
 potato, 37.
 Endive, heart rot, 150.
 watery soft rot, 150.
Endothia parasitica, chestnut, 413.
 End rot, cranberry, 375.
Entomosporium thumenii, hawthorn, 418.
Epilobium angustifolium, (see fireweed), 454.
 Eradication, barberry, 190.
Eragrostis ciliaris, *Helminthosporium giganteum*, 261.
 pectinacea, *Helminthosporium giganteum*, 261.
 Ergot, barley, 224.
 rye, 218, 465, 466.
 wheat, 166, 212.
Erigeron annuus, *Ophiobolus tenellus*, 453.
Erodium moschatum, *Synchytrium papillatum*, 453.
Erysiphe cichoracearum, *chrysanthemum*, 435.
 cucumber, 119.
 dahlia, 435.
 golden glow, 438.
 phlox, 443.
 sunflower, 259.
 zinnia, 451.
 communis, (see *E. polygoni*), 461.
 graminis, *Agropyron repens*, 261.
 Agropyron tenerum, 261.
 Agrostis palustris, 261.
 barley, 224.
 Dactylis glomerata, 261.
 Elymus canadensis, 261.
 oats, 231.
 Poa pratensis, 261.
 rye, 217.
 wheat, 214.
 polygoni, bean, 95.
 cowpea, 256.
 cucumber, 119.
 lupine, 440.
 Lupinus perennis, 457.
 matrimony vine, 441.
 Oenothera sp., 458.
 pea, 156.
 radish, 3, 111.
 Vicia americana, 461.
 sp., clover, 250.
 Escarole, mosaic, 151.
 watery soft rot, 151.
Euonymus atropurpurea, (see euonymus), 436.
 Japanese, powdery mildew, 436.
 japonicus, (see Japanese euonymus), 436.
 powdery mildew, 436.
 spp., anthracnose, 436.
 leaf spot, 436.
Euphorbia pulcherrima, (see poinsettia), 443.
 spp., *Uromyces* spp., 453.
 European canker, apple, 306.
 dogwood, 415.
 pear, 328.
 poplar, 428.
 scarlet oak, 424.
 willow, 431.
Euthamia spp., rust, 453.
Exidia glandulosa, mountain maple, 422.
Exoascus amentorum, (see *E. tosquinetii*), 409.
 cerasi, (see *Taphrina cerasi*), 413.
 communis, plum, 348.
 deformans, peach, 335, 484, 485.
 pruni, plum, 348.
 tosquinetii, mountain alder, 409.
Exobasidium oxycocci, cranberry, 374, 375.
 vaccinii, cranberry, 375.
 kinnikinnick, 456.
 manzanita, 457.
 rhododendron, 444.

Exosporium concentricum, *Euonymus* spp., 436.
palmivorum, date, 386.
 palm, 442.

F

Fabraea maculata, pear, 327, 486, 487.
 quince, 329.
 Failure of rye, 219.
 False blossom, cranberry, 375.
 Flase smut, palm, 442.
Favolus salicis, poplar, 429.
 Fern, brake, fir-fern rust, 454.
 Fertilizer burning, potato, 52.
 Fescue grass, brown patch, 260.
Festuca elatior, *Puccinia coronata*, 262.
 spp., winter injury, 265.
 Field crops, diseases, 1, 2...
 geographical distribution, 2.
 new areas, 2.
 Fig, anthracnose, 385.
 black smut, 385.
 canker, 386.
 leaf blight, 385.
 leaf spot, 385.
 limb blight, 386.
 root knot, 386.
 rust, 384.
 Fir, Alpine, matting, 395.
 Fir, balsam, Douglas fir blight, 395.
 fir-fern rust, 395.
 Fir, Douglas, Douglas fir blight, 396.
 Douglas fir mistletoe, 396.
 red-brown heartwood butt rot, 395.
 red-brown sapwood rot, 395.
 red rot, 395.
 rot, 396.
 Fire blight, apple, 299, 319, 482.
 hawthorn, 418.
 pear, 486, 487.
Prunus triloba plena, 444.
 quince, 329.
 service berry, 429.
 Fireweed, fir-fireweed rust, 454.
 Fir-fern rust, balsam fir, 395.
 brake fern, 454.
 lowland fir, 395.
Osmunda claytoniana, 395.
 silver fir, 394.
 Fir-fireweed rust, fireweed, 454.
 Fir, lowland, fir-fern rust, 395.
Macrophoma parca, 395.

matting, 395.
 needle-cast, 395.
 red-brown sapwood rot, 395.
 stringy brown rot, 395.
 Fir, silver, butt rot, 394.
 fir-fern rust, 394.
 Fir, Veitch's, *Fusicoccum abietinum*, 395.
 Flag smut, wheat, 167, 180, 181.
Flammula alnicola, red pine, 403.
 Flax, heat canker, 244.
 new disease, 166, 244.
 pasmo, 244.
Rhizoctonia, 244.
 rust, 166, 241.
 wilt, 166, 243.
 Flowering crab, rust, 436.
 Fly speck, apple, 309.
 plum, 350.
 Foliage scalding, pear, 328.
Fomes annosus, silver fir, 394.
 * western hemlock, 397.
applanatus, maple, 423.
everhartii, paper birch, 411.
fraxinophilus, ash, 410.
igniarius, apple, 315.
 Oregon maple, 421.
 quaking aspen poplar, 427.
 red alder, 409.
 willow, 431.
laricis, western yellow pine, 402.
officinalis, western larch, 398.
pinicola, Douglas fir, 395.
 lowland fir, 395.
 white pine, 403.
 ribis, currant, 373.
rimosus, locust, 420.
 Foot rot, citrus, 382.
 lettuce, 154.
 rice, 241.
 sweet potato, 85, 88, 477.
 wheat, 206, 207.
 Forage crops, diseases, 164, 246.
 Forest trees, 393.
Fornica exsectoides, white pine, 404.
Fraxinus americana, (see white ash), 409.
lanceolata, (see green ash), 409.
oregona, (see Oregon ash), 410.
pennsylvanica, (see red ash), 410.
 spp., (see ash), 410.
 Freezing injury, potato, 51.
 Frenching, tobacco, 143.

- Frog-eye, apple, 293.
 tobacco, 142.
 Frost injury, apple, 273.
 apricot, 356.
 celery, 149.
 cherry, 355.
 citrus, 376.
 grape, 357.
 lemon, 376.
 lettuce, 152, 154.
 mountain ash, 410.
 orange, 376.
 pea, 159.
 peach, 273, 345.
 pear, 273, 329.
 plum, 351.
 spinach, 163.
 squash, 119.
 strawberry, 362.
 tomato, 65.
 Frosty mildew, peach, 344.
 Fruit diseases in 1922, 273.
 Fruit drop, squash, 119.
 Fruit rot, *Alternaria*, pepper, 160.
 cherry, 355.
 citrus, 381.
 cranberry, 374.
 grape, 360.
 miscellaneous, apple, 313.
 Phomopsis, eggplant, 149.
 raspberry, 371.
 strawberry, 365.
 Fruit spot, apple, 304.
 cantaloupe, 114.
 quince, 330.
 tomato, 67.
 Fuchsia, mosaic, 436.
 sp., (see fuchsia), 436.
 Fuligo septica, tomato, 65.
 sp., strawberry, 367.
 violaceae, sweet potato, 89.
 Fusarium, apple, 314.
 asparagus, 144.
 batatas, sweet potato, 80, 477.
 bean, 2.
 conglutinans, cabbage, 102.
 kale, 110.
 conglutinans callistephi, China
 aster, 433.
 corn, 233.
 discolor sulphureum, potato, 47.
 eumartii, potato, 47.
 hyperoxysporum, sweet potato, 80, 477.
 lima bean, 97.
 lini, flax, 243.
 lycopersici, tomato, 3, 55, 478.
 malli, onion, 100.
 martii phaseoli, bean, 95.
 moniliforme, corn, 235, 236.
 niveum, watermelon, 122.
 oxysporum, potato, 14, 475, 476.
 sweet potato, 87.
 parasiticum, Humulus lupulus, 456.
 pea, 2.
 poae, corn, 235.
 potato, 47.
 radicicola, potato, 48.
 rubi, blackberry, 373.
 sorghum, 246.
 sp., asparagus fern, 432.
 barley, 223.
 cabbage, 109.
 carnation, 434.
 celery, 147.
 clover, 253.
 cotton, 128.
 gladiolus, 438.
 golden seal, 454.
 hickory, 419.
 larkspur, 440.
 onion, 100.
 pea, 157, 159.
 snapdragon, 448.
 soybean, 257.
 spinach, 162.
 sweet clover, 255.
 tobacco, 142.
 tomato, 59.
 wheat, 214, 463, 464.
 spinach, 3.
 spp., bean, 95.
 corn, 235, 472.
 squash, 119.
 strawberry, 365.
 tomato, 2.
 trichothecioides, potato, 48.
 vasinfectum, cotton, 124, 481.
 cowpea, 256.
 cucumber, 119.
 okra, 155.
 wheat, 214.
 Fusicladium dendriticum eriobotryae,
 loquat, 388.
 effusum, pecan, 389.
 sp., western service berry, 429.
 Fusicoccum abietinum, Veitch's fir, 395.

- putrefaciens, cranberry, 374, 375.
 pyrorum, apple, 314.
 sp., chestnut, 414.
 white pine, 404.
- G
- Gall, black cottonwood poplar, 427.
 Ganoderma curtisii, white elm, 416.
 Garden beet, (see beet), 144.
 Gaylussacia sp., rust, 454.
 Geographical distribution, field diseases, 2.
 vegetable diseases, 2.
 Geranium, bacterial leaf spot, 436.
 dropsy, 438.
 leaf spot, 437.
 Germination diseases, potato, 43.
 Giant hills, potato, 3, 4, 41.
 Gibberella, corn, 233.
 saubinetii, barley, 223.
 corn, 235.
 oats, 231.
 rye, 217.
 wheat, 198.
 Ginkgo biloba, (see ginkgo), 417.
 Irpex tulipiferae, 417.
 Ginseng, corroded roots, 151.
 Girdle, alfalfa, 249.
 Gladiolus, dry rot, 438.
 Fusarium rot, 438.
 hard rot, 438.
 leaf blight, 438.
 Sclerotinia dry rot, 438.
 sp., (see gladiolus), 438.
 Globe artichoke, (see artichoke), 143.
 Gloeosporium affine, sassafras, 429.
 ampelophagum, grape, 359.
 apocryptum, maple, 422, 423.
 sugar maple, 422.
 camphorae, camphor, 412.
 caulivorum, sweet clover, 255.
 coryli, California hazelnut, 418.
 cylindrospermum, mountain alder, 409.
 red alder, 409.
 inconspicuum, elm, 417.
 limetticolum, citrus, 383.
 nervisequum, (see Gnomonia veneta), 429.
 nobili, laurel, 440.
 potentillae, (see Mollisia earliana), 363.
 psidii, guava, 387.
 rosae, wild rose, 446.
 saccharina, sugar maple, 422.
 sp., Euonymus spp., 436.
 palm, 442.
 sugar maple, 422.
 tiliae, basswood, 410.
 ulmeum, (see Gnomonia ulmea), 415.
 venetum, (see Plectodiscella veneta), 367.
 Glomerella cingulata, apple, 288, 482.
 fig, 385.
 horse chestnut, 420.
 pecan, 390.
 cingulata vaccinii, cranberry, 375.
 gossypii, cotton, 123.
 rufomaculans vaccinii, cranberry, 374.
 Glume blotch, wheat, 210.
 Gnomonia canadense, (see G. veneta), 424.
 leptostyla, hickory, 419.
 walnut, 430.
 nervisequum, (see G. veneta), 424.
 ulmea, elm, 416.
 slippery elm, 416.
 white elm, 416.
 wing elm, 415.
 veneta, oak, 425.
 sycamore, 429.
 white oak, 424.
 Golden glow, powdery mildew, 438.
 Golden seal, Alternaria blight, 454.
 blight, Botrytis, 454.
 Fusarium wilt, 454.
 leaf scorch, 455.
 mosaic, 455.
 root knot, 454.
 unknown root rot, 455.
 Gooseberry, anthracnose, 374.
 leaf spot, 374.
 rust, 374.
 Grape, anthracnose, 359.
 black rot, 357, 490.
 blue mold rot, 360.
 crop losses, 490.
 crown gall, 361.
 dead arm, 361.
 downy mildew, 358.
 frost injury, 357.
 fruit rots in transit, 360.
 gray mold rot, 360.
 leaf spot, 361.
 powdery mildew, 359.

Rhizopus rot, 361.
 ripe rot, 361.
 root rot, Clitocybe, 361.
 Ozonium, 361.
 rust, 361.
 Texas root rot, 361.
 Grapefruit, (see Citrus), 376.
 Graphiola phoenicis, date, 386.
 palm, 442.
 Grasses, 260.
 miscellaneous, 260.
 Puccinia glumarum, 167, 263.
 graminis, 263.
 Pythium sp., 166.
 stripe rust, 166.
 Uromyces dactylidis, 167.
 Gray mold rot, grape, 360.
 lettuce, 152.
 plum, 350.
 primrose, 444.
 raspberry, 371.
 strawberry, 365.
 Growth cracks, apple, 316.
 Guava, anthracnose, 387.
 soft rot, 387.
 Guignardia aesculi, buckeye, 411.
 horsechestnut, 419.
 bidwellii, ampelopsis, 432.
 grape, 357, 490.
 vaccinii, cranberry, 375.
 Gum, black, Botryosphaeria sp., 417.
 Gummosis, Citrus, 382.
 Gum spot, plum, 351.
 Gymnocladus dioica, (see Kentucky
 coffee tree), 415.
 Gymnoconia interstitialis, blackberry,
 372.
 raspberry, 371.
 Gymnosporangium botryapites, white
 cedar, 394.
 clavipes, (see G. germinale), 330.
 cornutum, mountain ash, 410.
 ellisii, white cedar, 394.
 germinale, hawthorn, 418.
 Japanese flowering quince, 444.
 juniper, 398.
 quince, 330.
 globosum, hawthorn, 418.
 harknessianum, western juniper, 397.
 western service berry, 429.
 juniperi-virginianae, apple, 294,
 482.
 flowering crab, 436.

 hawthorn, 418.
 juniper, 398.
 juvenescens, western juniper, 397.
 kernianum, western juniper, 397.
 western service berry, 429.
 nelsoni, Rocky Mountain juniper
 398.
 western service berry, 429.
 nootkatensis, yellow cedar, 394.
 sp., juniper, 398.
 spp., hawthorn, 418.
 tubulatum, hawthorn, 418.

H

Hackberry, root rot, 417.
 Septobasidium sp., 417.
 smothering disease, 417.
 witches broom, 417.
 Hail injury, cantaloupe, 114.
 potato, 51.
 watermelon, 123.
 Halo blight, Avena fatua, 230.
 oats, 230.
 Hamamelis virginiana, (see witch-
 hazel), 431.
 Hard flesh spots, plum, 351.
 Prunus americana x triflora, 351.
 Hard rot, cranberry, 375.
 gladiolus, 438.
 Hardwoods, 409.
 Hawthorn, Cylandrosporium sp., 418.
 Entomosporium thumenii, 418.
 fire blight, 418.
 leaf blotch, 418.
 Oothia crataegi, 418.
 rusts, 418.
 Hazelnut, California, Gloeosporium
 coryli, 418.
 Septoria corylina, 419.
 Head rot, cabbage, 109.
 Head smut, corn, 168, 233.
 rye, 217.
 sorghum, 245.
 Heart rots, apple, 315.
 ash, 410.
 celery, 148.
 endive, 150.
 locust, 420.
 pear, 328.
 sugar beet, 134.
 western yellow pine, 402.
 western yew, 408.

- Heat canker, flax, 244.
 Heat necrosis, potato, 51.
 Helianthus spp., rust, 455.
 Hellebore, Coniothyrium hellebori, 438.
 Helleborus niger, (see hellebore), 438.
 Helminthosporium bromi, Bromus inermis, 261.
 corn, 166.
 giganteum, Agropyron elongatum, 261.
 Agropyron intermedium, 261.
 Agropyron repens, 261.
 Agrostis stolonifera, 261.
 Bromus inermis, 261.
 Capriola dactylon, 261.
 Eleusine indica, 261.
 Elymus virginicus, 261.
 Eragrostis cilianensis, 261.
 Eragrostis pectinacea, 261.
 Homalocenchrus virginicus, 261.
 Lasiagrostis splendens, 261.
 Muhlenbergia mexicana, 261.
 Muhlenbergia schreberi, 261.
 Panicum anceps, 261.
 clandestinum, 261.
 dichotomiflorum, 261.
 gattereri, 261.
 Pennisetum japonicum, 261.
 Phalaris arundinacea, 261.
 Phleum pratense, 261.
 Poa pratensis, 261.
 timothy, 260.
 gramineum, barley, 222, 467, 468.
 ravenelii, Sporobolus berterianus, 262.
 sativum, barley, 223.
 rye, 219.
 wheat, 206, 214.
 sp., corn, 239.
 oats, 231.
 Poa pratensis, 262.
 teres, barley, 222.
 turcicum, corn, 239.
 wheat, 207, 214.
 Helotium sphaerophoides, sequoia, 408.
 Hemlock, cone rust, 397.
 Douglas fir blight, 396, 397.
 leaf rust, 396, 397.
 rust, 397.
 twig rust, 397.
 Hemlock, western, butt rot, 397.
 Dimerium sp., 397.
 Douglas fir blight, 397.
 ring scale rot, 397.
 stringy brown rot, 397.
 Herpotrichia nigra, Alpine fir, 395.
 Engelmann spruce, 408.
 lowland fir, 395.
 Heterodera radicicola, alfalfa, 249.
 almond, 391.
 apricot, 356.
 bean, 96.
 beet, 145.
 cabbage, 109.
 cantaloupe, 114.
 carnation, 434.
 celery, 149.
 cotton, 128, 481.
 cucumber, 119.
 dahlia, 435.
 golden seal, 454.
 lettuce, 154.
 okra, 155.
 peach, 343.
 peony, 443.
 potato, 48.
 sweet clover, 255.
 sweet potato, 88.
 swiss chard, 163.
 tobacco, 143.
 tomato, 64.
 velvet bean, 259.
 watermelon, 123.
 sp., fig, 386.
 Heterosporium gracile, (see Didymellina iridia), 439.
 phlei, timothy, 260.
 Heuchera glabra, Puccinia heucherae, 455.
 Hibiscus, rust, 438.
 sp., (see hibiscus), 438.
 Hickory, anthracnose, 419.
 canker, 419.
 nut rot, 419.
 Phyllosticta sp., 419.
 witches broom, 419.
 Hicoria spp., (see hickory), 419.
 Hieroglyphics, tobacco, 142.
 Hippeastrum johnsonii, mosaic, 455.
 Holcus sorghum sudanensis, (see Sudan grass), 260.
 Hollow heart, potato, 50.
 sweet potato, 87.
 Hollow stem, tomato, 65.
 Hollyhock, Ascochyta sp., 439.
 leaf spot, 439.

root rot, 439.
 rust, 438.
Holodiscus discolor, (see ocean spray), 441.
Homalocenchrus virginicus, *Helminthosporium giganteum*, 261.
 Hop, (see *Humulus lupulus*), 456.
 (see also *Humulus* sp.), 456.
 Hopper burn, bean, 96.
 potato, 37, 475, 476.
Hordeum bulbosum, *Puccinia glumarum*, 263.
 jubatum, *Puccinia glumarum*, 263.
 Puccinia graminis, 263.
 stripe rust, 197.
 maritimum, *Puccinia glumarum*, 263.
 nodosum, *Puccinia glumarum*, 263.
 stripe rust, 197.
Hormodendron cladosporioides, wheat, 215.
 pinophilum, western juniper, 398.
 Horse bean, chocolate spot, 259.
 streak disease, 259.
 Horsechestnut, *Collybia velutipes*, 420.
 coral spot, 420.
 Glomerella cingulata, 420.
 leaf blotch, 419.
 leaf spot, 420.
 powdery mildew, 420.
 Schizophyllum alneum, 420.
 Tubercularia sp., 420.
 Horseradish, leaf spot, 110.
 mosaic, 110.
 root rot, bacterial, 110.
 Rhizoctonia, 110.
 Thielavia, 110.
 white rust, 110.
 Huckleberry, (see *Gaylussacia* sp.), 454.
 (see *Vaccinium corymbosum*), 461.
 (see *Vaccinium* spp.), 461.
Humulus lupulus, canker, 456.
 downy mildew, 456.
 sp., mildew, 456.
 mosaic, 456.
Hydnum coralloides, white pine, 403.
Hydrangea hortensia, (see hydrangea), 439.
 leaf spot, 439.
Hydrastis canadensis, (see golden seal), 454.
Hypholoma appendiculatum, apple, 311.
Hypochnus sp., pecan, 390.

Hypoderma brachysporum, white pine, 404.
 commune, Oregon maple, 421.
 deformans, lodgepole pine, 400.
 western yellow pine, 401.
 desmazieri, pitch pine, 403.
 sp., parry pinion pine, 403.
Hypodermella laricis, western larch, 398.
Hystrix patula, *Phyllachora graminis*, 262.

I

Impatiens balsamina, rust, 439.
 Imperfect pollination, apple, 316.
 cherry, 355.
 Increase in production, apple, 268, 273.
 peach, 268.
 pear, 268.
 Indexing, potato tuber, 6.
 Indian paint brush, western pine gall rust, 456.
 Internal browning, plum, 351.
 Internal brown spot, potato, 50.
 Internal leaf rot, lettuce, 152.
 Iris, leaf spot, 439.
 soft rot, 439.
 spp., (see iris), 439.
Irpeix tulipiferae, ginkgo, 417.
Isariopsis griseola, bean, 96.
Iva oraria, (see marsh elder), 415.

J

Japanese larch, Douglas fir blight, 396.
 Java black rot, sweet potato, 87.
 Jelly end rot, potato, 48.
 Jimson weed, (see *Datura stramonium*), 452.
 Jonathan spot, apple, 312.
Juglans cinerea, (see butternut), 412.
 spp., (see walnut), 430.
 Juniper, common, *Pestalozzia funerea*, 397, 398.
 rust, 398.
 Juniper, Rocky Mountain, rust, 398.
Juniperus communis hemisphaerica, (see common juniper), 397.
 occidentalis, (see western juniper), 397.

scopulorum, (see Rocky Mountain juniper), 398.
 sp., (see juniper), 398.
 virginiana, (see juniper), 398.
 Juniper, western, *Hormodendron pinophilum*, 398.
 rust, 397.

K

Kale, yellows, 110.
Keithia thujina, giant arborvitae, 394.
Kentia balmoreana, *Colletotrichum kentiae*, 439.
 Kinnikinnick, *Exobasidium vaccinii*, 456.
 Kudzu, leaf spot, 440.
Kuehneola albida, (see *K. uredinis*), 371.
 uredinis, blackberry, 373.
 raspberry, 371.
Kunkelia nitens, blackberry, 372.

L

Labrador tea, leaf rust, 456.
 Lack of heading, cabbage, 109.
 Larch, Japanese, Douglas fir blight, 396, 399.
 Larch mistletoe, western larch, 399.
 Larch, western, brown trunk rot, 398.
 Douglas fir blight, 399.
 larch mistletoe, 399.
 needle cast, 398.
 red-brown heartwood butt rot, 399.
 ring scale rot, 399.
 sulphur heart rot, 399.
Larix leptolepis, (see Japanese larch), 396, 399.
 occidentalis, (see western larch), 398.
 Larkspur, blight, 440.
 wilt, 440.
Lasiagrostis splendens, *Helminthosporium giganteum*, 261.
 Late blight, celery, 4, 146.
 potato, 3, 4, 8, 473, 474.
 tomato, 66.
Lathyrus odoratus, (see sweet pea), 449.
 Laurel, *Gloeosporium nobili*, 440.
 Sphaeropsis sp., 440.
Laurus nobilis, (see laurel), 440.
 sp., (see laurel), 440.

Lavender, *Pholiota praecox*, 440.
Lavendula sp., (see lavender), 440.
 Lawn grass, *Physarum cinereum*, 262.
 Leaf blight, *Alternaria*, cantaloupe, 112.
 Datura stramonium, 452.
 Datura tatula, 453.
Coccomyces, plum, 349.
Fabraea, pear, 327.
 quince, 329.
 fig, 385.
 gladiolus, 438.
Helminthosporium, corn, 166, 239.
Macrosporium, carrot, 145.
 madrona, 420.
 mangel, 155.
 Oregon ash, 410.
 palm, 442.
 pear, 327, 486, 487.
 Leaf blister, oak, 425.
 water oak, 425.
 western choke cherry, 413.
 Leaf blotch, barley, 224.
 buckeye, 411.
 hawthorn, 418.
 horsechestnut, 419.
 rose, 445.
 rye, 219.
 willow, 431.
 Leaf cast, white pine, 404.
 white spruce, 408.
 Leaf chlorosis, oak, 426.
 Leaf curl, peach, 335, 484, 485.
 raspberry, 369, 490.
 Leaf disease, Chinese cabbage, 110.
 Leaf drop, potato, 4.
 Leaf hoppers, potato, 37.
 Leaf injury, western choke cherry, 413.
 Leaf mold, cantaloupe, 112.
 onion, 99.
 tomato, 64.
 Leaf nematode, Chinese cabbage, 110.
 Leaf roll, potato, 4, 35, 473, 474.
 tomato, 65.
 Leaf rolling mosaic, potato, 4, 40.
 Leaf rust, barley, 221, 467, 468.
 black cottonwood poplar, 427.
 cassara, 412.
 corn, 471.
 hemlock, 396, 397.
 Labrador tea, 456.
 manzanita, 457.
 quaking aspen poplar, 427.

- rhododendron, 444.
- rye, 216, 465, 466.
- small grains, 166.
- Vaccinium spp., 461.
- wheat, 192, 463, 464.
- wild rose, 446.
- Leaf scorch, golden seal, 455.
- maple, 424.
- Norway maple, 421.
- strawberry, 363.
- sugar maple, 422.
- Leaf smudge, cranberry, 375.
- Leaf spot, Actinonema, poinsettia, 443.
- alfalfa, 166.
- Alternaria, cabbage, 107.
- cotton, 128.
- cucumber, 118.
- Datura stramonium, 452.
- lettuce, 153.
- persimmon, 387.
- tobacco, 3.
- watermelon, 123.
- Amerosporium, cowpea, 256.
- Ascochyta, alfalfa, 249.
- rhubarb, 160.
- sweet clover, 255.
- ash, 410.
- bacterial, barberry, 433.
- celery, 148.
- geranium, 436.
- lettuce, 152.
- lima bean, 97.
- rye, 219.
- soybean, 256.
- tobacco, 3.
- velvet bean, 258.
- black specked, maple, 421, 423.
- Botrytis, geranium, 437.
- peony, 442.
- broad, tobacco, 142.
- brown, pecan, 390.
- Cephaleuros, camphor, 412.
- Cercospora, alfalfa, 249.
- apple, 314.
- bean, 96.
- beet, 145.
- blackberry, 373.
- cantaloupe, 114.
- carrot, 145.
- coffee, 452.
- cotton, 128.
- cowpea, 256.
- currant, 373.
- fig, 385.
- hollyhock, 439.
- horseradish, 110.
- mustard, 111.
- parsley, 155.
- peanut, 159.
- pecan, 390.
- pepper, 160.
- rhubarb, 160.
- spinach, 162.
- Stizolobium pruriens, 258.
- sp., 258.
- sugar beet, 132.
- sugar cane, 131.
- swiss chard, 163.
- tobacco, 142.
- velvet bean, 258.
- watermelon, 123.
- Cercospora, parsley, 155.
- turnip, 111.
- Cladosporium, grape, 361.
- peony, 443.
- Coccomyces, black cherry, 413.
- cherry, 351, 489.
- corn, 240.
- Cryptostictis, rhododendron, 444.
- cucumber, 119.
- Dendrophoma, strawberry, 366.
- Didymella, camellia, 434.
- Didymellina, iris, 439.
- Dimerosporium, western service berry, 429.
- Exosporium, date, 386.
- Euonymus spp., 436.
- palm, 442.
- Gloeosporium, maple, 422, 423.
- mountain alder, 409.
- red alder, 409.
- sassafras, 429.
- sugar maple, 422.
- Gnomonia, walnut, 430.
- Graphiola, date, 386.
- Guignardia, ampelopsis, 432.
- Helminthosporium, oats, 231.
- rye, 219.
- Heterosporium, timothy, 260.
- kudzu, 440.
- Macrosporium, alfalfa, 249.
- bar clover, 255.
- catalpa, 412.
- clover, 255.
- cucumber, 119.
- eggplant, 150.

- turnip, 111.
 Marssonina, chestnut, 415.
 chestnut oak, 425.
 wild rose, 446.
 miscellaneous, apple, 313.
 Mycosphaerella, blackberry, 372.
 currant, 373.
 pear, 328.
 raspberry, 370.
 strawberry, 362.
 oats, 231.
 parsley, 2.
 Pestalozzia, camellia, 434.
 rhododendron, 445.
 Phomopsis, eggplant, 149.
 Phyllosticta, box elder, 421.
 catalpa, 413.
 dwarf maple, 420.
 hydrangea, 439.
 maple, 423.
 persimmon, 387.
 poplar, 428.
 rhubarb, 160.
 sugar maple, 422.
 sweet potato, 88.
 tobacco, 143.
 violet, 450.
 witch-hazel, 431.
 Pleosphaerulina, alfalfa, 249.
 Pleosphora, striped maple, 421.
 Pseudopeziza, alfalfa, 246.
 clover, 254.
 Ramularia, red ash, 410.
 Taraxacum spp., 461.
 Sclerotium, timothy, 260.
 Septoria, birch, 411.
 California buckeye, 411.
 cascara, 412.
 chrysanthemum, 435.
 currant, 373.
 horsechestnut, 420.
 lettuce, 154.
 maple, 421.
 pea, 158.
 Plantago sp., 458.
 salmon berry, 447.
 sunflower, 259.
 sweet potato, 88.
 thimbleberry, 450.
 tomato, 53.
 western red birch, 410.
 Sphaerella, dock, 453.
 Sphaeropsis, periwinkle, 443.
 Sphaerotheca, gooseberry, 374.
 Sphaerulina, clover, 254.
 Thielavia, tobacco, 142.
 tobacco, 142.
 Wisconsin, tobacco, 142.
 Leak, potato, 48.
 Ledum groenlandicum, (see Labrador tea), 456.
 Leersia virginica, (see Homalocenchrus virginicus), 261.
 Legumes, 246.
 Lemon, (see Citrus), 376.
 Lenticel proliferation, apple, 315.
 Lentinus lepideus, pine, 407.
 Lenzites betulina, paper birch, 411.
 Leptosphaeria avenaria, oats, 166, 231.
 coniothyrium, apple, 315.
 raspberry, 368.
 wild rose, 446.
 sp., wheat, 166.
 wheat, 207.
 Leptothyrium dryadeorum, (see Mol-lisia earliana), 363.
 pomi, apple, 309.
 plum, 350.
 Lettuce, Alternaria, 3.
 anthracnose, 154.
 bacteria, 2.
 bacterial disease, 152.
 bacterial leaf spot, 152.
 bacterial rosette, 152.
 bacterial spot, 152.
 Bacterium marginale, 152.
 bottom rot, 4, 152.
 damping off, 154.
 downy mildew, 3, 153.
 drop, 151.
 dwarfing, 152, 154.
 foot rot, 154.
 frost injury, 152, 154.
 gray mold rot, 152.
 internal leaf rot, 152.
 leaf spot, 153, 154.
 mosaic, 154.
 rabbit ear, 154.
 Rio Grande disease, 153.
 root knot, 154.
 rot, 152.
 Septoria consimilis, 2.
 lactucae, 2.
 southern blight, 154.
 stunting, 154, 155.

tip burn, 152.
 white heart, 154.
Liatris graminifolia, *Clasterosporium*
lacinariarum, 457.
 Lightning injury, maple, 424.
 potato, 51.
 tomato, 66.
Ligustrum ovalifolium, (see *Califor-*
nia privet), 444.
 Lilac, powdery mildew, 440.
 Lima bean, anthracnose, 97.
 bacterial blight, 97.
 bacterial leaf spot, 97.
 downy mildew, 96.
 Fusarium, 97.
 pod blight, 97.
 rust, 97.
 stem rot, 97.
 yeast spot, 97.
 Limb blight, fig, 386.
 Lime withertip, Citrus, 383.
Linum spp., rust, 242.
 usitatissimum, rust, 242.
Lippia lanceolata, *Cercospora lippiae*,
 457.
 Literature, *Averrhoa carambola*, 388.
 banana, 388.
 coconut, 392.
 olive, 387.
 pomegranate, 388.
 Little peach, peach, 343.
 Locust, heart rot, 420.
 white heart rot, 420.
 Lodgepole pine mistletoe, lodgepole
 pine, 400.
Lolium temulentum, *Puccinia graminis*,
 263.
 Long tuber, potato, 41.
Lonicera tartarica, powdery mildew,
 440.
 Loose kernel smut, sorghum, 245.
 Loose smut, barley, 220, 467, 468.
 oats, 469, 470.
 wheat, 176, 463, 464.
Lophodermella montivaga, lodgepole
 pine, 400.
Lophodermium nervisequium, lowland
 fir, 395.
 pinastri, lodgepole pine, 399.
 sugar pine, 400.
 western white pine, 401.
 western yellow pine, 402.
 sp., pine, 407.

 white spruce, 408.
Loquat, blight, 388.
 scab, 388.
 Losses, potato late blight, 8.
 (see also crop losses).
Lotus spp., *Synchytrium* sp., 457.
Ludwigia alternifolia, *Septoria*
 ludwigiae, 457.
 Lupine, powdery mildew, 440.
Lupinus perennis, powdery mildew, 457.
 spp., (see lupine), 440.
Lycium sp., (see matrimony vine), 441.
Lycopodium complanatum flabelliforme,
 Didymella chamaecyparissii, 457.

M

Maclura pomifera, (see osage orange),
 441.
Macrophoma candollei, box, 434.
 fici, fig, 386.
 parca, lowland fir, 395.
 sp., thimbleberry, 450.
 white elm, 416.
 tumefaciens, black cottonwood pop-
 lar, 427.
Macrosporium carotae, carrot, 145.
 catalpae, catalpa, 412.
 cucumerinum, cucumber, 119.
 parasiticum, onion, 99.
 solani, eggplant, 150.
 potato, 11, 475, 476.
 sweet potato, 3, 88.
 tomato, 60, 478.
 sp., alfalfa, 249.
 bur clover, 255.
 clover, 255.
 turnip, 111.
 spp., tomato, 59.
 tabacinum, tobacco, 143.
Madrona, leaf blight, 420.
 Sphaerella arbuticola, 420.
Magnesium hunger, tobacco, 142.
 Mangel, damping off, 155.
 leaf blight, 155.
 Rhizoctonia sp., 155.
 Mango, anthracnose, 387.
 bloom drop, 387.
 blossom blight, 387.
 die-back, 387.
 stem end rot, 387.
 tear stain, 387.
Manzanita, *Exobasidium vaccinii*, 457.

- leaf rust, 457.
 Maple, black specked leaf spot, 423.
 chlorosis, 423.
 leaf scorch, 424.
 leaf spot, 421, 422, 423.
 Steganosporium piriforme, 423.
 sun scorch, 423.
 tar leaf spot, 423.
 white butt rot, 423.
 wilt, 423.
 winter injury, 424.
 Maple, dwarf, *Cylindrosporium* sp., 420.
 leaf spot, 420.
 Maple, mountain, wood rot, 422.
 Maple, Norway, leaf scorch, 421.
 Phyllosticta saccharina, 421.
 Pleospora papillata, 421.
 wilt, 421.
 Maple, Oregon, *Hypoderma commune*, 421.
 white heartwood rot, 421.
 Maple, red, *Pholiota adiposa*, 421.
 sap rot, 421.
 Maple, silver, *Pholiota adiposa*, 422.
 Maple, striped, leaf spot, 421.
 Maple, sugar, anthracnose, 422.
 Gloeosporium sp., 422.
 leaf scorch, 422.
 leaf spot, 422.
 Phenacoccus sp., 422.
 Steganosporium piriforme, 422.
Marasmius plicatus, sugar cane, 131.
 Marginal leaf roll, potato, 4, 41.
Marssonina fragariae, (see *Mollisia earliana*), 363.
 strawberry, 364.
 juglandis, (see *Gnomonia leptostyla*), 419, 430.
 martini, chestnut oak, 425.
 ochroleuca, chestnut, 415.
 panattoniana, lettuce, 154.
 populi, poplar, 428.
 potentillae, (see *Mollisia earliana*), 363.
 strawberry, 364.
 sp., poplar, 428.
 wild rose, 446.
 Matrimony vine, powdery mildew, 441.
 rust, 441.
 Matting, Alpine fir, 395.
 Engelmann spruce, 408.
 lowland fir, 395.
 Meadow foxtail, (see *Alopecurus pratensis*), 264.
 Measles, apple, 315.
Medicago hispida, (see bur clover), 255.
 lupulina, *Uromyces medicaginis*, 247.
 sativa, *Uromyces striatus*, 247.
Melampsora abietis-canadensis, hemlock, 397.
 white poplar, 426.
 albertensis, quaking aspen poplar, 427.
 bigelowii, willow, 430.
 lini, flax, 241.
 linum spp., 242.
 linum usitatissimum, 242.
 medusae, Carolina poplar, 426.
 poplar, 428.
 occidentalis, black cottonwood poplar, 427.
 sp., poplar, 428.
 willow, 431.
Melampsoropsis abietina, Labrador tea, 456.
 cassandrae, black spruce, 408.
 ledicola, Labrador tea, 456.
 spruce, 408.
 piperiana, rhododendron, 444.
 rhododendri, rhododendron, 445.
Melanconis, butternut, 412.
 juglandis, butternut, 412.
Melanconium betulinum, white birch, 411.
 fuligineum, grape, 361.
 oblongum, (see *Melanconis juglandis*), 412.
 walnut, 430.
Melanose, Citrus, 379.
Melica imperfecta, *Urocystis agropyri*, 264.
Melilotus spp., (see sweet clover), 255.
Meliola sp., Citrus, 383.
Micropuccinia malvacearum, (see *Puccinia malvacearum*), 438.
Microspheera alni, chestnut, 415.
 euonymus, 436.
 lilac, 440.
 pecan, 390.
 sweet pea, 449.
 sycamore, 430.
 Syringa spp., 441.
 white oak, 424.
 alni extensa, oak, 426.

- alni lonicerae*, *Lonicera tartarica*, 440.
diffusa, snowberry, 449.
quercina, (see *M. alni extensa*), 426.
symphoricarpi, snowberry, 449.
Microstroma album, white oak, 424.
juglandis, hickory, 419.
Mildew, *Humulus* sp., 456.
Oenothera sp., 458.
red oak, 425.
Mild mosaic, potato, 4.
Millet, *Sorosporium syntherismae*, 264.
Miscellaneous bark cankers, apple, 314.
Miscellaneous diseases, pear, 328.
Miscellaneous fruit rots, apple, 313.
Miscellaneous grasses, 260.
literature, 265.
Miscellaneous injuries, sweet potato, 87.
Miscellaneous leaf spots, apple, 313.
Miscellaneous plants, 451.
Miscellaneous small fruits, 357.
Miscellaneous vegetable crops, 143.
Mistletoe, plum, 351.
yellow pine, 402.
Mold, clover, 255.
Mollisia earliana, strawberry, 363.
364.
Monarda, *Coleosporium narcissi*, 441.
fistulosa, rust, 457.
sp., (see *monarda*), 441.
Monilia sp., pear, 328.
Monilochaetes infuscans, sweet potato, 86.
Morus alba, (see mulberry), 424.
Mosaic, bean, 4, 94, 479, 480.
blackberry, 373.
cantaloupe, 113.
celery, 2, 149.
clover, 255.
control, 5.
corn, 168, 238.
cowpea, 168, 256.
cucumber, 116.
dahlia, 435.
diseases, cereals, 168.
work on, 4.
dwarf, potato, 4, 40.
eggplant, 150.
escarole, 151.
fuchsia, 436.
golden seal, 455.
Hippeastrum johnsonii, 455.
horseradish, 110.
Humulus sp., 456.
lettuce, 154.
mustard, 111.
pepper, 160.
potato, 3, 4, 31, 473, 474.
pumpkin, 119.
raspberry, 369, 490.
red clover, 255.
snapdragon, 449.
Solanum nigrum, 62.
soybean, 167, 168, 257.
spinach, 4, 162.
squash, 119.
sugar beet, 134.
sugar cane, 5, 129.
sweet clover, 168, 255.
sweet pea, 450.
sweet potato, 88.
tobacco, 140.
tomato, 5, 61.
watermelon, 123.
wheat, 166, 168, 215.
wild rose, 447.
Mottled curly dwarf, potato, 4, 41.
Mottled mosaic, potato, 4, 41.
Mottle leaf, Citrus, 383.
Muhlenbergia mexicana, *Helminthosporium giganteum*, 261.
schreberi, *Helminthosporium giganteum*, 261.
sp., *Phyllachora graminis*, 262.
Mulberry, blight, 375.
Sclerotinia carunculoides, 375, 424.
Texas root rot, 375.
Mustard, leaf spot, 111.
mosaic, 111.
powdery mildew, 111.
white rust, 110.
Mycosphaerella brassicicola, cabbage, 108.
cauliflower, 110.
fragariae, strawberry, 362.
grossulariae, currant, 373.
pinodes, pea, 156.
rubi, blackberry, 372.
raspberry, 370.
rubina, raspberry, 370.
sentina, pear, 328.
Myxosporium corticolum, apple, 314.
rosae, wild rose, 446.

- Nailhead rust, Citrus, 382.
 Nailhead spot, tomato, 59.
 Neck rot, onion, 100.
 Necrosis, soybean, 257.
 Nectria cinnabarina, horsechestnut, 420.
 western service berry, 429.
 coccinea, apple, 306.
 (see *Creonectria coccinea*), 411.
 galligena, apple, 306.
 dogwood, 415.
 pear, 328.
 scarlet oak, 424.
 willow, 431.
 sp., walnut, 391.
 vulgaris, Ribes spp., 459.
 western service berry, 429.
 Needle blight, lodgepole pine, 400.
 parry pinion pine, 403.
 western yew, 408.
 white pine, 404.
 Needle cast, lodgepole pine, 399.
 lowland fir, 395.
 sugar pine, 400.
 western larch, 398.
 western white pine, 401.
 western yellow pine, 401, 402.
 Needle drop, white pine, 404.
 Needle rust, Engelmann spruce, 408.
 Nematodes, begonia, 434.
 carrot, 145.
 chicory, 149.
 clover, 168, 254.
 strawberry, 366.
 wheat, 166, 207.
 Nematospira phaseoli, lima bean, 97.
 Neofabraea malicorticis, apple, 305.
 Neottiospora yuccaefolia, yucca, 451.
 Net blotch, barley, 222.
 Net necrosis, potato, 48.
 New abnormality, Digitalis purpurea, 435.
 New areas, field diseases, 2.
 vegetable diseases, 2.
 New diseases, 3.
 cereals, 166.
 field and vegetable crops, 3.
 flax, 166, 244.
 tomato, 67.
 New hosts, cereal diseases, 166, 167.
 New ~~leaf~~ disease, Chinese cabbage, 110.
 New localities, cereal diseases, 167.
 New occurrences, cereal diseases, 166.
 Nummularia discreta, apple, 290.
 sp., chestnut, 415.
 Nursery leaf blight, pecan, 390.
 Nut diseases, 389.
 Nut rot, hickory, 419.
 Nymphaea odorata, Sphaerella pontederiae, 457.
 Nyssa sylvatica, (see black gum), 417.
 0
 Oak, Angelinia rufescens, 426.
 anthracnose, 425.
 leaf blister, 425.
 leaf chlorosis, 426.
 powdery mildew, 426.
 red heart rot, 426.
 Oak, chestnut, Diplodia suberina, 425.
 leaf spot, 425.
 Physalospora cydoniae, 425.
 Oak, red, mildew, 425.
 red heart rot, 425.
 sapwood rot, 425.
 Oak, scarlet, Armillaria root rot, 424.
 butt rot, 424.
 European canker, 424.
 Oak, water, leaf blister, 425.
 Oak, white, anthracnose, 424.
 powdery mildew, 424.
 sap rot, 424.
 witches broom, 424.
 Oats, anthracnose, 230.
 blast, 230.
 covered smut, 469, 470.
 crop losses, 462, 469, 470.
 crown rust, 227, 469, 470.
 halo blight, 230.
 leaf spot, 231.
 Leptosphaeria avenaria, 166.
 loose smut, 469, 470.
 powdery mildew, 231.
 scab, 231.
 smut, 166, 224.
 speckled blotch, 231.
 stem rust, 226, 469, 470.
 sterility, 230.
 Ocean spray, powdery mildew, 441.
 Oenothera sp., mildew, 458.
 Oidium evonymi japonici, Japanese euonymus, 436.
 oospora lactis, tomato, 67.
 sp., catalpa, 413.
 mustard, 111.

oak, 426.
 red oak, 425.
 Oil burn, Citrus, 383.
 Okra, root knot, 155.
 root rot, 155.
 Texas root rot, 155.
 wilt, 155.
 Olive, literature, 387.
 Olpitrichum carpophilum, cotton, 128.
 Onion, anthracnose, 99.
 bacterial soft rot, 100.
 black mold, 100.
 downy mildew, 99.
 leaf mold, 99.
 neck rot, 100.
 pink root, 100.
 rot, Fusarium, 100.
 slimy soft rot, 100.
 smudge, 99.
 smut, 3, 5, 97, 99.
 Ophiobolus cariceti, Agropyron repens, 262.
 Agrostis palustris, 167, 262.
 Bromus secalinus, 262.
 Phleum pratense, 167.
 Poa compressa, 167, 262.
 rye, 219.
 timothy, 260.
 wheat, 203.
 tenellus, Erigeron annuus, 453.
 Orange, (see Citrus), 376.
 Orange rust, raspberry, 371.
 Orchard disease surveys, apple, 318.
 Ornamentals, 432.
 Osage orange, rust, 441.
 Osmunda claytoniana, fir-fern rust, 395.
 Otthia crataegi, hawthorn, 418.
 Oxalis, rust, 442.
 sp., (see oxalis), 442.
 Ozonium omnivorum, alfalfa, 248.
 apple, 311.
 bean, 96.
 cotton, 126.
 cowpea, 256.
 elm, 417.
 grape, 361.
 hollyhock, 439.
 mulberry, 375.
 okra, 155.
 peach, 344.
 peanut, 160.
 pear, 328.

sweet potato, 88.
 wild rose, 446.

P

Pachyma cocos, (see Poria cocos), 407.
 Pacific Slope yellow pine mistletoe, western yellow pine, 402.
 Paeonia officinalis, (see peony), 402.
 Palm, Alternaria, sp., 442.
 false smut, 442.
 Gloeosporium sp., 442.
 leaf blight, 442.
 leaf spot, 442.
 Pestalozzia sp., 442.
 Panicum anceps, Helminthosporium giganteum, 261.
 clandestinum, Helminthosporium giganteum, 261.
 dichotomiflorum, Helminthosporium giganteum, 261.
 gattingeri, Helminthosporium giganteum, 261.
 miliaceum, Ustilago panici-miliacei, 264.
 Pansy, powdery mildew, 442.
 rust, 442.
 Parsley, bacterial wilt, 155.
 leaf spot, 2, 155.
 Parthenium integrifolium, rust, 458.
 Pasmo, flax, 244.
 Pea, anthracnose, 159.
 Ascochyta blight, 156.
 bacterial blight, 158.
 blight, 156.
 damping off, 159.
 downy mildew, 159.
 frost injury, 159.
 leaf spot, 158.
 powdery mildew, 156.
 root rot, 2, 157.
 Fusarium, 2, 157.
 Pythium, 2, 157.
 Rhizoctonia, 2, 157.
 Thielavia, 157.
 rough pod spot, 159.
 rust, 2, 159.
 Septoria pisi, 3.
 undetermined disease, 159.
 Peach, bacterial shot hole, 341.
 bacterial spot, 340.
 black mold rot, 342.
 blight, Coryneum, 342.

- brown rot, 330, 484, 485.
- chlorosis, 345.
- crop losses, 462, 484, 485.
- crown gall, 344.
- die-back, 344.
- frost injury, 273, 345.
- frosty mildew, 344.
- increase in production, 268.
- leaf curl, 335, 484, 485.
- little peach, 343.
- phony peach, 344.
- powdery mildew, 344.
- root knot, 343.
- root rot, 344.
- Armillaria*, 344.
- Clitocybe*, 344.
- Ozonium*, 344.
- rosette, 343.
- rust, 342.
- scab, 338, 484, 485.
- shot hole, 344.
- split pit, 345.
- spray injury, 345.
- sunscald, 345.
- wilt, *Verticillium*, 344.
- yellow, 343.
- Peanut, bacterial wilt, 159.
- chlorosis, 160.
- leaf spot, 159.
- southern blight, 160.
- Texas root rot, 160.
- Pear, bitter pit, 328.
- black end, 328.
- black leaf, 328.
- black rot, 328.
- blight, bacterial, 322.
- blossom blight, 329.
- canker, *Nectria*, 328.
- Septobasidium*, 328.
- Corticium stevensii*, 328.
- crop losses, 486, 487.
- crown gall, 328.
- European canker, 328.
- fire blight, 486, 487.
- foliage scalding, 328.
- frost injury, 273, 329.
- heart rot, 328.
- increase in production, 268.
- leaf blight, 327, 486, 487.
- leaf spot, 328.
- physiological canker, 328.
- powdery mildew, 328.
- root rot, *Ozonium*, 328.
- scab, 326, 486, 487.
- sooty blotch, 328.
- sour sap, 328.
- spray injury, 329.
- twig blight, 328.
- Pecan, anthracnose, 390.
- black pit, 390.
- brown leaf spot, 390.
- crown gall, 390.
- Hypochnus* sp., 390.
- nursery leaf blight, 390.
- powdery mildew, 390.
- rosette, 390.
- scab, 389.
- Pelargonium sp., (see geranium), 436.
- Penicillium, apple, 314.
- expansum, apple, 313.
- plum, 350.
- sp., hickory, 419.
- spp., Citrus, 381.
- Pennisetum japonicum, *Helminthosporium giganteum*, 261.
- Pennsylvania, white pine blister rust control, 405.
- Peony, blight, 442.
- bud rot, 442, 443.
- leaf spot, 442, 443.
- root knot, 443.
- rot, 443.
- Pepper, bacterial spot, 160.
- fruit rot, 160.
- leaf spot, 160.
- mosaic, 160.
- wilt, 160.
- Peppery spot, cauliflower, 109.
- Peridermium carneum, (see *Coleosporium vernoniae*), 400.
- comptoniae*, (see *Cronartium comptoniae*), 399.
- delicatulum*, (see *Coleosporium delicatulum*), 400.
- helianthi*, (see *Coleosporium helianthi*), 400.
- peckii*, (see *Pucciniastrum myrtilli*), 396, 397.
- terebinthinaceae*, (see *Coleosporium terebinthinaceae*), 400.
- Perisporium wrightii, cactus, 451.
- Periwinkle, bastard blossom, 443.
- leaf spot, 443.
- Peronospora effusa spinach, 161.
- parasitica*, cabbage, 108.
- radish, 111.

- potentillae, *Duchesnea indica*, 453.
schleideni, onion, 99.
 sp., soybean, 166, 256.
trifoliorum, alfalfa, 248.
 soybean, 257.
trifoliorum manshurica, soybean, 257.
viciae, pea, 159.
Persimmon, leaf spots, 387.
 rot, 387.
Pestalozzia funerea, common juniper, 397.
 juniper, 398.
guelpini vaccinii, rhododendron, 445.
inquinans, camellia, 434.
palmarum, palm, 442.
 sp., avocado, 386.
 camphor, 412.
 cranberry, 375.
 palm, 442.
Peziza earliana, (see *Mollisia earliana*), 363.
Pezizella lythri, strawberry, 365.
Phalaris arundinacea, *Helminthosporium giganteum*, 261.
 canariensis, *Puccinia glumarum*, 263.
Phenacoccus sp., sugar maple, 422.
Philadelphus sp., (see *syringa*), 450.
Philospora sp., China aster, 433.
Phleospora irregulare, (see *Septoria irregularis*), 459.
Phleum pratense, *Helminthosporium giganteum*, 261.
 Ophiobolus cariceti, 167.
Phlox, powdery mildew, 443.
 sp., (see *phlox*), 443.
Phlyotaena linicola, flax, 244.
Phoenix canariensis, (see *date*), 386.
 dactylifera, (see *date*), 386.
Pholiota adiposa, red maple, 421.
 silver maple, 422.
 praecox, lavender, 440.
Phoma abietina, (see *Fusicoccum abietinum*), 395.
 apiicola, celery, 149.
 apple, 314.
 betae, sugar beet, 133, 134.
 destructiva, tomato, 66.
 fruit rot, tomato, 66.
 lingam, brussels sprouts, 109.
 cabbage, 106.
 cauliflower, 110.
 palmicola, *Washingtonia filifera*, 450.
 pomi, apple, 304.
 quince, 330.
 sp., asparagus fern, 432.
 soybean, 257.
 subcircinata, (see *Diaporthe phaseolorum*), 97.
 sugar beet, 134.
Phomopsis californica, Citrus, 381.
 citri, Citrus, 379, 380, 382.
 cranberry, 375.
 juniperovora, *arborvitae*, 394.
 pseudotsugae, balsam fir, 395.
 Douglas fir, 396.
 hemlock, 396, 397.
 Japanese larch, 396, 399.
 western hemlock, 397.
 western larch, 399.
 sojæ, soybean, 166, 257.
 vexans, eggplant, 149, 150.
Phony peach, peach, 344.
Phoradendron flavescens, plum, 351.
Phragmidium imitans, raspberry, 371.
 montivagum, wild rose, 446.
 potentillae-canadensis, *Potentilla canadensis*, 458.
 rosae-californicae, wild rose, 446.
 sp., *Rubus parviflorus*, 459.
 spp., wild rose, 446.
Phycomycete, hickory, 419.
Phyllachora graminis, *Agropyron repens*, 262.
 Elymus canadensis, 262.
 Hystrix patula, 262.
 Muhlenbergia sp., 262.
 pomigena, apple, 309.
 pear, 328.
 trifolii, clover, 255.
 red clover, 255.
 white clover, 255.
 ulmi, (see *Gnomonia ulmea*), 415.
Phyllactinia corylea, dogwood, 415.
 mountain alder, 409.
 western red birch, 411.
 western service berry, 429.
 white elm, 416.
Phyllostachys sp., rust, 458.
Phyllosticta acericola, (see *P. minima*), 423.
 ampelopsidis, (see *Guignardia bidwellii*), 432.
 antirrhini, snapdragon, 448.
 apple, 314.
 batata, sweet potato, 88.

- caryae, pecan, 390.
 catalpae, catalpa, 412, 413.
 hamamelidis, witch-hazel, 431.
 horizontalis, cotoneaster, 435.
 hydrangeae, hydrangea, 439.
 minima, box elder, 421.
 dwarf maple, 420.
 maple, 423.
 sugar maple, 422.
 negundinis, (see *P. minima*), 421.
 podophylli, *Podophyllum peltatum*, 458.
 potentillae, (see *Mollisia earliana*), 363.
 rhubarb, 2.
 saccharina, Norway maple, 421.
 solitaria, apple, 283, 482.
 sp., hickory, 419.
 persimmon, 387.
 poplar, 428.
 sugar maple, 422.
 willow, 431.
 spp., maple, 423.
 tobacco, 143.
 straminella, rhubarb, 160.
 tilliae, basswood, 410.
 violae, violet, 450.
Physalospora cydoniae, apple, 291, 482.
 chestnut oak, 425.
 pear, 328.
 quince, 330.
Physarum cinereum, cucumber, 119.
 lawn grass, 262.
 gyrosum, celery, 149.
 sp., asparagus fern, 433.
 Physiological canker, pear, 328.
 Physiological factors, fuchsia, 436.
Physoderma zeae-maydis, corn, 237, 471.
Physopella fici, fig, 384.
 osage orange, 441.
 vitis, grape, 361.
Phytophthora cactorum, apple, 314.
 rhubarb, 160.
 celery, 149.
 cryptogea, tomato, 65.
 infestans, potato, 8, 473, 474.
 tomato, 66.
 lettuce, 154.
 parasitica rhei, rhubarb, 160.
 parasitica, tomato, 65.
 phaseoli, lima bean, 96.
 sp., hackberry, 417.
 peony, 443.
 Sedum purpureum, 459.
 syringae, apple, 314.
 terrestris, Citrus, 382.
 eggplant, 150.
 tomato, 66.
Picea canadensis, (see white spruce), 408.
 engelmanni, (see Engelmann spruce), 408.
 mariana, (see black spruce), 408.
 spp., (see spruce), 408.
 Pine, anthracnose, 407.
 Daedalea berkeleyi, 407.
 Lophodermium blight, 407.
 pine cone rusts, 408.
 Poria cocos, 407.
 root rot, 408.
 scaly *Lentinus* rot, 407.
 tuckahoe, 407.
 Pine, Arizona longleaf, rust, 400.
 Pine, Austrian, *Sphaeropsis* sp., 401.
 Pine comandra rust, western yellow pine, 402.
 Pine cone rusts, pine, 408.
 Pine, Corsican, rust, 401.
 Pine, jack, rust, 400.
 Pine, loblolly, rusts, 407.
 Septoria acicola, 407.
 Pine, lodgepole, lodgepole-pine mistle toe, 400.
 Lophodermella montivaga, 400.
 needle blight, 400.
 needle cast, 399.
 red-brown heartwood butt rot, 400.
 rust, 399.
 Stilbospora pinicola, 400.
 western fusiform rust, 399.
 western pine gall rust, 399.
 Pine, longleaf, rusts, 401.
 Pine, parry pinion, needle blight, 403.
 Pine, pitch, *Colosporium terebinthinaceae*, 403.
 dying of needles, 403.
 Hypoderma desmazieri, 403.
 rust, 403.
 Pine, pond, rusts, 403.
 Pine, red, damping off, 403.
 rust, 403.
 wood rot, 403.
 Pine, Scotch, damping off, 407.
 Dothiorella pinastri, 407.
 Pine, scrub, *Cronartium cerebrum*, 407.
 rusts, 407.

- Pine, shortleaf, rusts, 400.
 Pine, slash or swamp, rust, 399.
 Pine, sugar, needle cast, 400.
 Pine, western white, needle cast, 401.
 ring scale rot, 401.
 white pine blister rust, 401.
 yellow root rot, 401.
 Pine, western yellow, heart rot, 402.
 needle cast, 401, 402.
 Pacific Slope yellow pine mistletoe, 402.
 pine comandra rust, 402.
 western pine gall rust, 402.
 witches broom, 401.
 Pine, white, ant canker, 404.
 blister rust control in Pennsylvania, 405.
 chemical injury, 404.
 Cryptosporium pini, 404.
 damping off, 404.
 dry rot, 403.
 Fusicoccum sp., 404.
 leaf cast, 404.
 needle blight, 404.
 needle drop, 404.
 Polyporus schweinitzii, 404.
 Septobasidium pinicola, 404.
 sunscald, 404.
 white pine blister rust, 404.
 wood rot, 403.
 Pine, yellow, mistletoe, 402.
 rot, 402.
 white pouch fungus, 402.
 Pink root, onion, 100.
 Pink rot, apple, 313.
Pinus banksiana, (see jack pine), 400.
 caribaea, (see slash or swamp pine), 399.
 contorta, (see lodgepole pine), 399.
 divaricata, (see jack pine), 400.
 echinata, (see shortleaf pine), 400.
 lambertiana, (see sugar pine), 400.
 monticola, (see western white pine), 401.
 Septobasidium pinicola, 404.
 murrayana, (see Arizona longleaf pine), 400.
 nigra austriaca, (see Austrian pine), 401.
 nigra poiretiana, (see Corsican pine), 401.
 palustris, (see longleaf pine), 401.
 ponderosa, (see western yellow pine), 401.
 (see also yellow pine), 402.
 quadrifolia, (see parry pinion pine), 403.
 resinosa, (see red pine), 403.
 rigida, (see pitch pine), 403.
 serotina, (see pond pine), 403.
 spp., (see pine), 407.
 strobis, (see white pine), 403.
 sylvestris, (see Scotch pine), 407.
 taeda, (see loblolly pine), 407.
 virginiana, (see scrub pine), 407.
Piricularia grisea, *Syntherisma sanguinalis*, 262.
 oryzae, rice, 240.
 Pithiness, sweet potato, 87.
 Plantago sp., leaf spot, 458.
Plasmidiophora brassicae, cabbage, 100.
 cauliflower, 110.
Plasmopara halstedii, sunflower, 259.
 viticola, grape, 358.
Platanus occidentalis, (see sycamore), 429.
Plectodiscella veneta, blackberry, 372.
 raspberry, 367.
Plenodomus destruens, sweet potato, 85, 477.
Pleosphaerulina briosiana, alfalfa, 249.
Pleospora papillata, Norway maple, 421.
 sp., striped maple, 421.
Plowrightia morbosa, black cherry, 413.
 cherry, 354.
 plum, 350.
 western choke cherry, 413.
 Plum, bacterial gummosis, 350.
 bacterial spot, 349.
 black knot, 350.
 blue mold rot, 350.
 brown rot, 346, 488.
 chlorosis, 351.
 cork spot, 351.
 crop losses, 488.
 crown gall, 350.
 fly speck, 350.
 frost injury, 351.
 gray mold rot, 350.
 gum spot, 351.
 hard flesh spots, 351.
 internal browning, 351.

- leaf blight, 349..
- mistletoe, 351.
- pockets, 348.
- Rhizopus rot, 350.
- rosette, 350.
- rust, 350.
- scab, 350.
- silver leaf, 351.
- sooty blotch, 350.
- spray injury, 351.
- Stereum, 351.
- top soursap, 351.
- yellow, 350.
- Poa compressa*, *Ophiobolus cariceti*, 167, 262.
- pratensis*, *Erysiphe graminis*, 261.
- Helminthosporium giganteum*, 261.
- Helminthosporium* sp., 262.
- Puccinia poarum*, 263.
- Ustilago striaeformis*, 264.
- Pockets, plum, 348.
- Pod blight, lima bean, 97.
- soybean, 257.
- Pod rot, bean, 96.
- Pod spot, bean, 96.
- Podophyllum peltatum*, *Phyllosticta podophylli*, 458.
- Podospheera leucotricha*, apple, 306.
- pear, 328.
- oxyacanthae*, black cherry, 413.
- cherry, 354.
- choke cherry, 413.
- ocean spray, 441.
- quince, 330.
- Poinsettia*, leaf spot, 443.
- Pole sweat, tobacco, 142.
- Polyporus betulinus*, paper birch, 411.
- eurbescens*, yellow pine, 402.
- fuscus*, paper birch, 411.
- inzeugae*, poplar, 429.
- picipes*, white ash, 409.
- resinosus*, (see *P. fuscus*), 411.
- schweinitzii*, Douglas fir, 395.
- giant arborvitae, 394.
- lodgepole pine, 400.
- western larch, 399.
- white pine, 404.
- sp., apple, 315.
- sulphureus*, black cherry, 413.
- oak, 426.
- red oak, 425.
- red pine, 403.
- western larch, 399.
- white elm, 416.
- volvatus*, Douglas fir, 396.
- yellow pine, 402.
- Polystictus pergamenus*, red oak, 425.
- Polythrincium trifolii*, clover, 255.
- white clover, 255.
- Pome fruits, diseases, 273.
- Pomegranate, literature, 388.
- Poor stands, potato, 45.
- Poplar, anthracnose, 428.
- canker, 427.
- European canker, 428.
- leaf spot, 428.
- Melampsora* sp., 428.
- Polyporus inzeugae*, 429.
- powdery mildew, 428.
- rust, 428.
- wood rot, 429.
- Poplar, Balm of Gilead, canker, 426.
- Poplar, black cottonwood, canker, 427.
- gall, 427.
- leaf rust, 427.
- powdery mildew, 427.
- yellow leaf blister, 427.
- Poplar, Carolina, canker, 426.
- rust, 426.
- Poplar, large toothed aspen, *Trametes suaveolens*, 426.
- Poplar, Lombardy, canker, 426.
- Poplar, quaking aspen, canker, 427.
- Fomes igniarius*, 427.
- leaf rust, 427.
- powdery mildew, 427.
- tar spot, 427.
- Poplar, white, rust, 426.
- Populus alba*, (see white poplar), 426.
- balsamifera*, (see Balm of Gilead poplar), 426.
- deltoides*, (see Carolina poplar), 426.
- grandidentata*, (see large toothed aspen poplar), 426.
- nigra italica*, (see Lombardy poplar), 426.
- spp., (see poplar), 427.
- tremuloides*, (see quaking aspen poplar), 427.
- trichocarpa*, (see black cottonwood poplar), 427.
- Poria cocos*, pine, 407.
- vaporaria, arborvitae, 394.
- Poronidulus conchifer*, elm, 417.
- white elm, 416.

Potash hunger, cotton, 129.

Potato, anthracnose, 46.

bacterial wilt, 46.

black dot, 46.

black heart, 50.

blackleg, 3, 28, 473, 474.

calico, 4, 41, 42.

Cercospora concors, 46.

common scab, 24.

corrugated mosaic, 41.

crinkle, 4, 41.

crop loss, 462, 473, 474, 475, 476.

curly dwarf, 4, 41, 48.

decaying seed pieces, 45.

degeneration diseases, 40.

drought injury, 51.

early blight, 11, 475, 476.

fertilizer burning, 52.

freezing injury, 51.

Fusarium wilt, 14, 475, 476.

germination diseases, 43.

giant hills, 3, 4, 41.

hail injury, 51.

heat necrosis, 51.

hollow heart, 50.

hopperburn, 37, 475, 476.

internal brown spot, 50.

jelly end rot, 48.

late blight, 3, 4, 8, 473, 474.

leaf drop, 4, 41.

leaf hopper, 37.

leaf roll, 4, 35, 473, 474.

leaf rolling mosaic, 4, 40.

leak, 48.

lightning injury, 51.

long tuber, 41.

losses from late blight, 8.

marginal leaf roll, 4, 41.

mild mosaic, 4.

mosaic, 3, 4, 31, 473, 474.

mosaic, dwarf, 4, 40.

mottled curly dwarf, 4, 41.

mottled mosaic, 4, 41.

net necrosis, 48.

poor stands, 45.

powdery dry rot, 48.

powdery scab, 48.

rhizoctonia, 19, 473, 474.

root knot, 48.

root rot, *Armillaria*, 48.

rot, 48.

rugose mosaic, 4.

russet dwarf, 4, 41, 42.

scab, 5.

scald, 49.

sclerotial disease, 46.

scurf, 19.

seed certification, 6.

severe mosaic, 4, 41.

silver scurf, 48.

slimy soft rot, 48.

southern blight, 46.

spindle sprout, 4, 41.

spindle tuber, 4, 41.

spray injury, 51.

stem end rot, 47.

stem rot, 19.

stipple streak, 4, 41.

streak, 4, 41, 42.

tip burn, 37, 475, 476.

tuber indexing, 6.

tuber rots, 47.

use of sulphur, 45.

wart, 4, 17.

wilt, *Fusarium*, 47, 475, 476.

Verticillium, 47.

yellow dwarf, 3, 43.

Protentilla canadensis, rust, 458.

Powdery dry rot, potato, 48.

Powdery mildew, ampelopsis, 432.

apple, 306.

barley, 224.

bean, 95.

black cherry, 413.

black cottonwood poplar, 427.

catalpa, 413.

cherry, 354.

chestnut, 415.

choke cherry, 413.

chrysanthemum, 435.

clover, 168, 250.

cowpea, 256.

cucumber, 119.

dahlia, 435.

dogwood, 415.

euonymus, 436.

golden glow, 438.

grape, 359.

horsechestnut, 420.

Japanese euonymus, 436.

lilac, 440.

Lonicera tartarica, 440.

lupine, 440.

Lupinus perennis, 457.

matrimony vine, 441.

mountain alder, 409.

- mustard, 111.
- oak, 426.
- oats, 231.
- ocean spray, 441.
- pansy, 442.
- pea, 156.
- peach, 344.
- pear, 328.
- pecan, 390.
- phlox, 443.
- poplar, 428.
- quaking aspen poplar, 427.
- quince, 330.
- radish, 111.
- raspberry, 371.
- red clover, 166.
- rose, 445.
- rye, 217.
- snowberry, 449.
- spiraea, 449.
- strawberry, 365.
- sunflower, 259.
- sweet pea, 449.
- sycamore, 430.
- Taraxacum spp., 460.
- Vicia americana, 461.
- violet, 450.
- western red birch, 411.
- western service berry, 429.
- wheat, 214.
- white elm, 416.
- white oak, 424.
- willow, 431.
- zinnia, 451.
- Powdery sapwood rot, paper birch, 411.
- Powdery scab, potato, 48.
- Pox canker, apple, 315.
- Pox, sweet potato, 86, 477.
- Precipitation map, 9.
- Primrose, gray mold, 444.
- Primula sp., (see primrose), 444.
- Privet, California, shot hole, 444.
- Progress in development of control measures, 5.
- Proliferation of spike, timothy, 260.
- Protocoronospora nigricans, vetch, 258.
- Prune, (see plum), 346, 488.
- Prunus americana x triflora, hard flesh spots, 351.
- demissa, (see western choke cherry), 413.
- melanocarpa, (see choke cherry), 413.
- serotina, (see black cherry), 413.
- triloba plena, Bacillus amylovorus, 325.
- fire blight, 444.
- virginiana, (see choke cherry), 413.
- Pseudomonas aptatum, swiss chard, 163.
- avenae, (see Bacterium coronafaciens), 230.
- pisi, pea, 158.
- tumefaciens, (see Bacterium tumefaciens), 308.
- Pseudoperonospora cubensis, cantaloupe, 113.
- cucumber, 118.
- pumpkin, 119.
- squash, 119.
- watermelon, 123.
- humuli, Humulus lupulus, 456.
- Pseudopeziza medicaginis, alfalfa, 246.
- ribis, currant, 373.
- gooseberry, 374.
- trifolii, clover, 254.
- Pseudotsugae taxifolia, (see Douglas fir), 395.
- Psoralea lanceolata, rust, 458.
- Psorosis, Citrus, 382.
- Pteridium aquilinum pubescens, (see brake fern), 454.
- Puccinia agropyri, clematis, 436.
- Thalictrum dioicum, 461.
- antirrhini, snapdragon, 447.
- asparagi, asparagus, 143.
- centaureae, bachelors button, 433.
- clematidis, Agropyron spp., 252.
- Agropyron tenerum, 262.
- Bromus spp., 262.
- Elymus spp., 262.
- coronata, Avena sp., 262.
- buckthorn, 411.
- cascara, 412.
- Festuca elatior, 262.
- oats, 227, 469, 470.
- Rhamnus cathartica, 229.
- cynodontis, Capriola dactylon, 262.
- dispersa, rye, 216, 465, 466.
- elegans, (see Uromyces elegans), 253.
- glumarum, Agropyron acutum, 263.
- Agropyron longifolium, 263.
- tenerum longifolium, 263.
- barley, 196, 221.
- Bromus adoensis, 263.
- erectus, 263.
- lanuginosus, 263.
- macrostachys, 263.

- Bromus maximus*, 263.
 porteri frondosus, 263.
 purgans latiglumis, 263.
 richardsonii, 263.
 rigidus, 263.
 grasses, 167, 263.
Hordeum bulbosum, 263.
 jubatum, 197, 263.
 maritimum, 263.
 nodosum, 197, 263.
Phalaris canariensis, 263.
 wheat, 196.
 wild grasses, 263.
 graminis, *Agropyron caninum*, 263.
 Agropyron repens, 263.
 smithii, 263.
 tenerum, 263.
Agrostis palustris, 263.
Alopecurus geniculatus, 263.
 barley, 220, 467, 468.
Bromus sp., 263.
Dactylis glomerata, 263.
Elymus canadensis, 263.
 virginicus, 263.
 grasses, 263.
Hordeum jubatum, 263.
Lolium temulentum, 263.
 oats, 226, 469, 470.
 rye, 215, 465, 466.
 wheat, 184, 463, 464.
 grossulariae, gooseberry, 374.
 helianthi, *Helianthus* spp., 455.
 sunflower, 259.
 heucherae, *Heuchera glabra*, 455.
 impatiens, *Impatiens balsamina*, 439.
 lateritia, *Diodia teres*, 453.
 lycii, matrimony vine, 441.
 malvacearum, *hibiscus*, 438.
 hollyhock, 438.
 melanocephala, *Phyllostachys* sp., 458.
 menthae americana, *Monarda fistulosa*, 457.
 peridermiospora, ash, 410.
 green ash, 409.
 white ash, 409.
 phlei-pratensis, timothy, 260.
 poarum, *Poa pratensis*, 263.
 pruni-spinosae, anemone, 342.
 choke cherry, 413.
 peach, 342.
 plum, 350.
 rhamni, (see *P. coronata*), 412.
 ribis, *Ribes* spp., 459.
 ruelliae, *Ruellia strepens*, 459.
 simplex, barley, 167, 221, 467-8.
 sorghii, corn, 233, 471.
 spermacoces, (see *P. lateritia*), 453.
 subnitens, *Distichlis spicata*, 263.
 spinach, 3, 161.
 taraxaci, *Taraxacum* spp., 460.
 tritici, wheat, 192, 463, 464.
 violae, pansy, 442.
 Pucciniastrum myrtilli, *Gaylussacia* sp., 454.
 hemlock, 396, 397.
 Vaccinium sp., 461.
 Vaccinium spp., 461.
 pustulatum, fireweed, 454.
 sparsum, manzanita, 457.
 Pueraria thunbergiana, (see kudzu), 440.
 Pumpkin, downy mildew, 119.
 mosaic, 119.
 Purple sheath spot, corn, 240.
 Purple tatula, (see *Datura tatula*), 453.
 Pyrenopeziza medicaginis, alfalfa, 248.
 Pyrus sitchensis, (see mountain ash), 410.
 spp., (see flowering crab), 436.
 Pythiacystis citrophthora, Citrus, 382.
 Pythium, celery, 149.
 debaryanum, cucumber, 119.
 dahlia, 435.
 pea, 157.
 potato, 48.
 spinach, 162.
 sugar beet, 134.
 sweet pea, 450.
 tobacco, 143.
 tomato, 65.
 watermelon, 122.
 lettuce, 154.
 pea, 2.
 sp., *Agrostis palustris*, 166, 264.
 grasses, 166.
 lettuce, 154.
 pea, 157.
 sugar beet, 134.
 watermelon, 3.

- Quercus alba*, (see white oak), 424.
nigra, (see water oak), 452.
coccinea, (see scarlet oak), 424.
prinus, (see chestnut oak), 425.
rubra, (see red oak), 425.
spp., (see oak), 425.
 Quince, black rot, 330.
 fire blight, 329.
 fruit spot, 330.
 leaf blight, 329.
 powdery mildew, 330.
 rust, 330.
 Quince, Japanese flowering, rust, 444.

R

- Rabbit ear, lettuce, 154.
 Radish, black root, 111.
 damping off, 111.
 downy mildew, 111.
Erysiphe polygoni, 3.
 powdery mildew, 111.
 white rust, 111.
 Rainfall by months, 269.
 by states, 271.
Ramularia fraxinea, red ash, 410.
 ginseng, 151.
 taraxaci, *Taraxacum* spp., 461.
 Raspberry, anthracnose, 367.
 bacterial blight, 371.
 blue mold rot, 371.
 blue stem, 371.
 cane blight, 368, 371.
 crop losses, 490.
 crown gall, 368.
 eastern blue stem, 369.
 fruit rot, 371.
 gray mold rot, 371.
 leaf curl, 369, 490.
 leaf spot, 370.
 mosaic, 369, 490.
 orange rust, 371.
 powdery mildew, 371.
Rhizopus rot, 371.
 rust, 371.
 spur blight, 370.
 winter injury, 371.
Ravenelia australis, acacia, 409.
Razoumofskyia americana, lodgepole pine, 400.
 campylopoda, western yellow pine, 402.
 yellow pine, 402.
 douglasii, Douglas fir, 396.
 laricis, western larch, 399.
 Red-brown heartwood butt rot, Douglas fir, 395.
 giant arborvitae, 394.
 lodgepole pine, 400.
 western larch, 399.
 Red-brown sapwood rot, Douglas fir, 395.
 lowland fir, 395.
 Red clover, mosaic, 255.
 nematode, 254.
 powdery mildew, 166, 250, 251.
 root rot, 253.
 rusts, 253.
 sooty spot, 255.
 (see clover), 250.
 Red heart rot, oak, 426.
 red oak, 425.
 white elm, 416.
 Red leaf spot, cranberry, 375.
 Red rot, Douglas fir, 395.
 sugar cane, 130.
 Red top, brown patch, 260.
 References, tomato diseases, 67.
 Relative prevalence, cereal diseases in 1922, 166.
 Resistant varieties, 4.
Rhamnus cathartica, crown rust, 229.
 purshiana, (see cascara), 412.
 sp., (see buckthorn), 411.
Rheosporangium aphanidermatus,
 radish, 111.
Rhizoctonia, bean, 2.
 flax, 244.
 medicaginis, alfalfa, 249.
 microsclerotia, fig, 385.
 pea, 2.
 potato, 19, 473, 474.
 rice, 241.
 solani, bent grass, 260.
 blue grass, 260.
 cabbage, 109.
 fescue grass, 260.
 lettuce, 152.
 potato, 473, 474.
 red pine, 403.
 red top, 260.
 Scotch pine, 407.
 tomato, 65.
 white pine, 404.
 sp., beet, 145.
 celery, 149.
 cotton, 128.

- eggplant, 150.
- horseradish, 110.
- mangel, 155.
- pea, 157.
- radish, 111.
- rice, 241.
- sugar beet, 134.
- sweet pea, 450.
- stem rot, bean, 96.
- strawberry, 365.
- turnip, 111.
- watermelon, 3, 123.
- wheat, 207.
- Rhizopus, apple, 314.
- grape, 361.
- nigricans, persimmon, 387.
- potato, 48.
- strawberry, 365.
- plum, 350.
- raspberry, 371.
- sp., guava, 387.
- peach, 342.
- persimmon, 387.
- sweet potato, 83.
- spp., sweet potato, 83.
- tomato, 67.
- squash, 119.
- Rhododendron californicum, (see rhododendron), 444.
- leaf rust, 444.
- leaf spot, 444, 445.
- Melampsoropsis rhododendri, 445.
- nudiflorum, (see rhododendron), 444.
- sp., (see rhododendron), 445.
- witches broom, 444.
- Rhubarb, Alternaria, 2.
- Ascochyta rhei, 2.
- Cercospora, 2.
- crown rot, 160.
- leaf spot, 160.
- Phyllosticta, 2.
- stalk rot, 160.
- undetermined disease, 160.
- Rhus diversiloba, Septoria irregularis, 459.
- sp., Septoria irregularis, 459.
- Rhynchosporium secalis, barley, 167, 223.
- rye, 219.
- Rhytisma acerinum, Acer rubrum, 423.
- Acer saccharinum, 423.
- maple, 423.
- punctatum, maple, 423.
- salicinum, willow, 431.
- sp., maple, 423.
- vaccinii, Vaccinium corymbosum, 461.
- Ribes cynosbati, white pine blister rust, 405.
- nigrum, white pine blister rust, 405.
- rotundifolium, white pine blister rust, 405.
- spp., pectria vulgaris, 459.
- rust, 459.
- Rice, acreage of United States, 240.
- blast, 240.
- foot rot, 241.
- straighthead, 240.
- Ring scale rot, western hemlock, 397.
- western larch, 399.
- western white pine, 401.
- Ring spot, cabbage, 108.
- cauliflower, 110.
- tobacco, 142.
- Rio Grande disease, borage, 451.
- carrot, 3, 145.
- lettuce, 153.
- Ripe rot, apple, 314.
- grape, 361.
- Robinia pseudacacia, (see locust), 420.
- Roestelia pyrata, (see Gymnosporangium juniperi-virginianae), 436.
- Root disease, beet, 145.
- Root knot, alfalfa, 249.
- almond, 391.
- apricot, 356.
- bean, 96.
- beet, 145.
- cabbage, 109.
- cantaloupe, 114.
- carnation, 434.
- celery, 149.
- chicory, 149.
- cotton, 128, 481.
- cucumber, 119.
- dahlia, 435.
- fig, 386.
- golden seal, 454.
- lettuce, 154.
- okra, 155.
- peach, 343.
- peony, 443.
- potato, 48.
- sweet clover, 255.
- sweet potato, 88.

- swiss chard, 163.
 tobacco, 143.
 tomato, 64.
 velvet bean, 259.
 watermelon, 123.
 Root rot, alfalfa, 249.
 apple, 310, 311.
 Armillaria, apple, 311.
 peach, 244.
 potato, 48.
 scarlet oak, 424.
 bacterial, horseradish, 110.
 bean, 2, 4, 479, 480.
 black, tobacco, 138.
 Clitocybe, grape, 361.
 peach, 344.
 clover, 253.
 corn, 233.
 Corticium, strawberry, 366.
 Fomes, currant, 373.
 Fusarium, barley, 223.
 bean, 2, 95.
 clover, 253.
 corn, 233, 471, 472.
 pea, 2, 157.
 strawberry, 365.
 sweet clover, 255.
 Gibberella, corn, 233.
 Hypholoma, apple, 311.
 Marasmius, sugar cane, 131.
 Ozonium, alfalfa, 248.
 apple, 311.
 bean, 96.
 cotton, 126.
 cowpea, 256.
 grape, 361.
 hollyhock, 439.
 mulberry, 375.
 okra, 155.
 peach, 344.
 peanut, 160.
 pear, 328.
 sweet potato, 88.
 pea, 2.
 peach, 344.
 Phoma, celery, 149.
 pine, 408.
 Pythium, dahlia, 435.
 pea, 2, 157.
 sweet pea, 450.
 Rhizoctonia, alfalfa, 249.
 bean, 2.
 celery, 149.
 horseradish, 110.
 pea, 2, 157.
 strawberry, 365.
 sweet pea, 450.
 Sclerotinia, alfalfa, 248.
 clover, 253.
 strawberry, 365.
 Thielavia, bean, 2.
 horseradish, 110.
 pea, 157.
 tobacco, 5.
 unknown, golden seal, 455.
 wheat, 206, 207.
 Xylaria, apple, 310.
 hackberry, 417.
 Root trouble, cherry, 355.
 Rosa spp., (see rose), 445.
 (see wild rose), 446.
 Rosebloom, cranberry, 374, 375.
 Rose, leaf blotch, 445.
 powdery mildew, 445.
 Rosellinia caryae, hickory, 419.
 Rosette, apple, 315.
 peach, 343.
 pecan, 390.
 plum, 350.
 wheat, 205.
 Rose, wild, anthracnose, 446.
 Botrytis rot, 446.
 cane blight, 446.
 canker, 446.
 chlorosis, 447.
 crown gall, 446.
 leaf rust, 446.
 leaf spot, 446.
 mosaic, 447.
 rust, 446.
 Texas root rot, 446.
 winter injury, 447.
 Rot, Alternaria, apple, 314.
 bacterial, lettuce, 152.
 Botrytis, artichoke, 143.
 wild rose, 446.
 Cephalosporium, apple, 314.
 Dothichiza, apple, 314.
 Fusarium, apple, 314.
 asparagus, 144.
 gladiolus, 438.
 onion, 100.
 Penicillium, apple, 314.
 Pezizella, strawberry, 365.
 Phoma, apple, 314.
 sugar beet, 134.

- Phyllosticta, apple, 314.
 Polyporus, Douglas fir, 396.
 yellow pine, 402.
 Pythium, potato, 43.
 Rhizopus, apple, 314.
 grape, 361.
 persimmon, 387.
 plum, 350.
 potato, 48.
 raspberry, 371.
 squash, 119.
 strawberry, 365.
 Sclerotinia, peony, 443.
 strawberry, 365.
 Trichoderma, sweet potato, 87.
 Rough pod spot, pea, 159.
 Rubus parviflorus, rust, 459.
 (see thimble berry), 450.
 spectabilis, (see salmon berry),
 447.
 Rudbeckia laciniata, (see golden glow),
 438.
 Ruellia strepens, rust, 459.
 Rugose mosaic, potato, 4.
 Rumex occidentalis, (see dock), 453.
 Russet dwarf, potato, 4, 41, 42.
 Rust, alfalfa, 166, 247.
 anemone, 342.
 apple, 294, 319, 320.
 Arizona longleaf pine, 400.
 ash, 410.
 asparagus, 4, 143.
 aster, 451.
 bachelors button, 433.
 bean, 93.
 blackberry, 372, 373.
 black spruce, 408.
 carnation, 434.
 Carolina poplar, 426.
 China aster, 433.
 choke cherry, 413.
 clematis, 436.
 clover, 253.
 coreopsis, 452.
 corn, 233.
 Corsican pine, 401.
 cotton, 128.
 cowpea, 256.
 Diodia teres, 453.
 Euthamia spp., 453.
 fig, 384.
 flax, 166, 241.
 flowering crab, 436.
 Gaylussacia sp., 454.
 gooseberry, 374.
 grape, 361.
 green ash, 409.
 hawthorn, 418.
 Helianthus spp., 455.
 hemlock, 397.
 hibiscus, 438.
 hollyhock, 438.
 Impatiens balsamina, 439.
 jack pine, 400.
 Japanese flowering quince, 444.
 juniper, 398.
 lima bean, 97.
 Linum spp., 242.
 usitatissimum, 242.
 loblolly pine, 407.
 lodgepole pine, 399.
 longleaf pine, 401.
 matrimony vine, 441.
 Monarda fistulosa, 457.
 mountain ash, 410.
 osage orange, 441.
 oxalis, 442.
 pansy, 442.
 Parthenium integrifolium, 458.
 pea, 2, 159.
 peach, 342.
 Phyllostachys sp., 458.
 pitch pine, 403.
 plum, 350.
 pond pine, 403.
 poplar, 428.
 Potentilla canadensis, 458.
 Psoralea lanceolata, 458.
 quince, 330.
 raspberry, 371.
 red clover, 253.
 red pine, 403.
 Ribes spp., 459.
 rice, 241.
 Rocky Mountain juniper, 398.
 Rubus parviflorus, 459.
 Ruellia strepens, 459.
 scrub pine, 407.
 shortleaf pine, 400.
 Silphium spp., 460.
 slash or swamp pine, 399.
 snapdragon, 447.
 snowberry, 449.
 spinach, 161.
 spruce, 408.
 sunflower, 259.

- Taraxacum* spp., 460.
Thalictrum dioicum, 461.
 timothy, 260.
 tobacco, 142.
Vaccinium sp., 461.
Verbesina spp., 461.
 western juniper, 397.
 western service berry, 429.
 white ash, 409.
 white cedar, 394.
 white poplar, 426.
 wild rose, 446.
 willow, 430.
 yellow cedar, 394.
 Rusty spot, barley, 224.
 Rutabaga, black rot, 111.
 Rye, anthracnose, 166, 217.
 bacterial blight, 219.
 bacterial leaf spot, 219.
 bunt, 219.
 crop losses, 462, 465, 466.
 ergot, 218, 465, 466.
 failure, 219.
 head smut, 217.
 leaf blotch, 219.
 leaf rust, 216, 465, 466.
 leaf spot, 219.
 powdery mildew, 217.
 scab, 217.
 Septoria secalis, 219.
 smut, 465, 466.
 stem rust, 215, 465, 466.
 stem smut, 217.
 take-all, 219.
 Tilletia tritici, 167.
- S
- Salix* spp., (see willow), 430.
 Salmon berry, leaf spot, 447.
 Salsify, white rust, 161.
 Salt-grass, (see *Distichlis spicata*), 263.
Sambucus glauca, (see elder), 415.
 Sand drown, tobacco, 142.
 Sap rot, red maple, 421.
 white oak, 424.
 Sapwood rot, red oak, 425.
 Sassafras, leaf spot, 429.
 spp., (see sassafras), 429.
 Scab, apple, 273, 319, 320, 483.
 apricot, 356.
 avocado, 386.
 barley, 223.
 beet, 144.
 cherry, 354.
 Citrus, 378.
 cucumber, 118.
 loquat, 388.
 oats, 231.
 peach, 338, 484, 485.
 pear, 326, 486, 487.
 pecan, 389.
 plum, 350.
 potato, 5, 24.
 rye, 217.
 small cereals, 166.
 small grains, 166.
 sugar beet, 134.
 wheat, 198, 463, 464.
 Scald, barley, 223.
 potato, 49.
 Scaly bark, Citrus, 382.
 Scaly Lentinus rot, pine, 407.
Schizonella colemani, *Vitis quadrangularis*, 461.
Schizophyllum alneum, horsechestnut, 420.
 commune, red maple, 421.
Scirpus occidentalis, *Clasterosporium caricinum*, 459.
Sclerospora graminicola, *Chaetochloa italica*, 264.
 Chaetochloa viridis, 264.
 Sclerotial disease, potato, 46.
Sclerotinia carunculoides, mulberry, 375, 424.
 celery, 149.
 cinerea, apple, 314.
 apricot, 355.
 cherry, 353, 489.
 choke cherry, 413.
 peach, 330, 484, 485.
 plum, 346, 488.
 demissa, western choke cherry, 413.
 dry rot, gladiolus, 438.
 fuekeliana, primrose, 444.
 lettuce, 154.
 libertiana, 5.
 bean, 5, 96.
 cabbage, 109.
 carrot, 145.
 celery, 148.
 cress, 110.
 cucumber, 119.
 endive, 150.

- escarole, 151.
 lettuce, 151.
 mangel, 155.
 potato, 46.
 strawberry, 365.
 oxycocci, cranberry, 375.
 sp., cauliflower, 110.
 gladiolus, 438.
 lima bean, 97.
 peony, 443.
 strawberry, 366.
 sunflower, 259.
 trifoliorum, alfalfa, 248.
 clover, 253.
 Sclerotiniose, western choke cherry, 413.
 Sclerotium bataticola, sweet potato, 87.
 bifrons, quaking aspen poplar, 427.
 cocos, (see *Poria cocos*), 407.
 disease, wheat, 168.
 giganteum, (see *Poria cocos*), 407.
 rhizodes, wheat, 167, 168, 206.
 rolfsii, bean, 96.
 beet, 145.
 cantaloupe, 114.
 lettuce, 154.
 peanut, 160.
 potato, 46.
 soybean, 257.
 tomato, 65.
 sweet potato, 88.
 swiss chard, 163.
 sp., gladiolus, 438.
 Scolecotrichum graminis, Alopecurus pratensis, 264.
 timothy, 260.
 Scurf, potato, 19.
 sweet potato, 86.
 Sedum purpureum, stem rot, 459.
 Seed certification, potato, 6.
 Seedling blight, corn, 166.
 wheat, 214.
 Seedling rot, sugar beet, 134.
 Septobasidium pedicellatum, Citrus, 383.
 pinicola, Pinus monticola, 404.
 white pine, 404.
 retiforme, hackberry, 417.
 retiformis, apple, 315.
 pear, 328.
 sp., hackberry, 417.
 Septomyxa negundinis, box elder, 421.
 Septoria acicola, loblolly pine, 407.
 aesculi, California buckeye, 411.
 apii, celery, 146.
 avenae, (see *Leptosphaeria avenaria*), 166, 231.
 bataticola, sweet potato, 88.
 betulae, birch, 411.
 betulicola, western red birch, 410.
 betulina, white birch, 411.
 blasdalei, cascara, 412.
 bromi, Bromus inermis, 167.
 chrysanthemi, chrysanthemum, 435.
 consimilis, lettuce, 2, 154.
 corylina, California hazelnut, 419.
 diseases, wheat, 209.
 gladioli, gladiolus, 438.
 helianthi, sunflower, 259.
 irregularis, Rhus diversiloba, 459.
 Rhus sp., 459.
 lactucae, lettuce, 2, 154.
 ludwigiae, Ludwigia alternifolius, 457.
 lycopersici, tomato, 3, 53, 478.
 negundinis, maple, 421.
 norum, wheat, 209, 210.
 passerinii, barley, 224.
 pisi, pea, 3, 158.
 potentillarum, (see *Mollisia earliana*), 363.
 pyricola, (see *Mycosphaerella sentina*), 328.
 ribis, currant, 373.
 rubi, (see *Mycosphaerella rubi*), 370, 372.
 salmon berry, 447.
 thimbleberry, 450.
 secalis, rye, 219.
 sp., Bromus inermis, 264.
 horsechestnut, 420.
 Plantago sp., 458.
 tritici, wheat, 209, 212.
 variegata, (see *S. blasdalei*), 412.
 Sequoia, cankers, 408.
 Helotium sphaerophoides, 408.
 sempervirens, (see *sequoia*), 408.
 Service berry, fire blight, 429.
 Service berry, western, leaf spot, 429.
 Nectria disease, 429.
 powdery mildew, 429.
 rust, 429.
 witches broom, 429.

- Setaria italica*, (see *Chaetochloa italica*), 264.
viridis, (see *Chaetochloa viridis*), 264.
 Severe mosaic, potato, 4, 41.
 Shade trees, 393.
 Shoe string, tobacco, 143.
 Shot hole, apricot, 356.
 California privet, 444.
 peach, 344.
 syringa, 450.
Silphium spp., rust, 460.
 Silver leaf, plum, 351.
 Silver scurf, potato, 48.
 Slime flux, elm, 417.
 Slime mould, celery, 149.
 cucumber, 119.
 strawberry, 367.
 sweet potato, 89.
 tomato, 65.
 Slimy soft rot, cabbage, 108.
 onion, 100.
 potato, 48.
 Small cereals, scab, 166.
 Small fruits, diseases, 357.
 Small grains, leaf rusts, 166.
 scab, 166.
 Smothering disease, hackberry, 417.
 Smudge, onion, 99.
 Smut, *Bromus* spp., 264.
 corn, 166, 231, 471.
 oats, 166, 224.
 onion, 3, 5, 97.
 rye, 465, 466.
 timothy, 260.
 Snapdragon, anthracnose, 448.
Cladosporium sp., 449.
 mosaic, 449.
Phyllosticta antirrhini, 448.
 rust, 447.
 stem rot, 449.
Verticillium wilt, 449.
 wilt, 449.
 Snowberry, powdery mildew, 449.
 rust, 449.
 Soft rot, bacterial, calla lily, 434.
 carrot, 145.
 celery, 148.
 iris, 439.
 onion, 100.
 tomato, 67.
 turnip, 111.
 violet, 450.
Botrytis, sweet potato, 87.
Oidium, tomato, 67.
Rhizopus, guava, 387.
 sweet potato, 83.
 tomato, 67.
Sclerotinia, cabbage, 109.
 vegetables, 6.
 Soil and seed treatment, vegetables, 5.
 Soil rot, sweet potato, 86.
Solanum nigrum, mosaic, 62.
 Sooty blotch, apple, 309.
 pear, 328.
 plum, 350.
 Sooty mold, Citrus, 383.
 cotton, 129.
 wheat, 215.
 Sooty spot, clover, 255.
 red clover, 255.
 white clover, 255.
Sorbus americana, (see mountain ash), 410.
 scopulina, (see mountain ash), 410.
 Sore shin, cotton, 128.
Sorghum, anthracnose, 246.
 blight, bacterial, 245.
 covered kernel smut, 245.
 decay of stalk, 246.
 head smut, 245.
 loose kernel smut, 245.
Sorosporium reilianum, corn, 168, 233.
 sorghum, 245.
 syntherismae, millet, 264.
 Sour sap, pear, 328.
 Southern blight, bean, 96.
 cantaloupe, 114.
 lettuce, 154.
 peanut, 160.
 potato, 46.
 swiss chard, 163.
 Soybean, *Alternaria atrans*, 166, 257.
 aphid injury, 257.
 bacterial blight, 256.
 bacterial leaf spots, 256.
 bacterial pustule, 256.
 bacterial wilts, 256.
Bacterium solanacearum, 167.
 chlorosis, 257.
 downy mildew, 256.
 mosaic, 167, 168, 257.
 necrosis, 257.
Peronospora sp., 166.
 trifoliorum, 257.
 trifoliorum manshurica, 257.

- Phomopsis sojae*, 166.
 pod blight, 257.
 stem blight, 257.
 sunburn, 257.
 wilt, *Fusarium*, 257.
 Sclerotium, 257.
Sparassis radicata, western white pine, 401.
Spartina pectinata, *Claviceps purpurea*, 261.
 Speckled blotch, oats, 231.
 Speckled leaf blotch, wheat, 212.
Sphacelotheca cruenta, sorghum, 245.
 sorgi, sorghum, 245.
Sphaerella arbuticola, madrona, 420.
 pontederiae, *Nymphaea odorata*, 457.
 rumicis, dock, 453.
Sphaeronema fimbriatum, sweet potato, 82, 83, 477.
Sphaeropsis malorum, (see *Physalospora cydoniae*), 291, 425.
 sp., Austrian pine, 401.
 laurel, 440.
 white elm, 416.
 ulmicola, elm, 417.
 vincae, periwinkle, 443.
Sphaerotheca humuli, *Humulus* sp., 456.
 pansy, 442.
 raspberry, 371.
 spiraea, 449.
 strawberry, 365.
 humuli fuliginea, *Taraxacum* spp., 460.
 violet, 450.
 mors-uvae, gooseberry, 374.
 pannosa persicae, peach, 344.
 spp., rose, 445.
Sphaerulina trifolii, clover, 254.
 Spinach, anthracnose, 162.
 blight, 162.
 crown rot, 163.
 damping off, 162.
 downy mildew, 161.
 frost injury, 163.
 leaf spot, 162.
 mosaic, 4, 162.
 Puccinia subnitens, 3.
 rust, 161.
 stunting, 3.
 Spindle sprout, potato, 4, 41.
 Spindle tuber, potato, 4, 41.
Spiraea douglasii, *Cylindrosporium spiraeicolum*, 460.
 opulifolia aurea, (see *spiraea*), 449.
 powdery mildew, 449.
 Split pit, peach, 345.
Spondylocadium atrovirens, potato, 48.
Spongospora subterranea, potato, 48.
 Spongy dry rot, apple, 314.
Sporobolus berterianus, *Helminthosporium ravenelii*, 262.
Sporonema oxycocci, cranberry, 375.
 sp., cranberry, 375.
 Spot blotch, barley, 223.
 Spot, clover, 255.
 Spray burn, apple, 319, 320.
 Spray injury, apple, 316.
 cantaloupe, 114.
 cherry, 355.
 Citrus, 383.
 peach, 345.
 pear, 329.
 plum, 351.
 potato, 51.
 Spread of chestnut blight, 414.
 Spruce, black, rust, 408.
 Spruce, Engelmann, matting, 408.
 needle rust, 408.
 stringy brown rot, 408.
 Spruce, rust, 408.
 Spruce, white, leaf cast, 408.
 Spur blight, raspberry, 370.
 Squash, downy mildew, 119.
 frost injury, 119.
 fruit drop, 119.
 mosaic, 119.
 Rhizopus rot, 119.
 wilt, bacterial, 119.
 Fusarium, 119.
 Stalk rot, bacterial, corn, 166, 168, 238.
 corn, 233.
 Fusarium, corn, 233.
 Gibberella, corn, 233.
 rhubarb, 160.
 Star melanose, Citrus, 383.
Steganosporium piriforme, maple, 423.
 sugar maple, 422.
 Stem blight, soybean, 257.
 Stem browning, celery, 149.
 Stem end rot, Citrus, 380.
 mango, 387.
 potato, 47.
 watermelon, 121.
 Stem rot, *Fusarium*, cabbage, 109.
 carnation, 434.

- sweet potato, 80, 477.
- potato, 19.
- Rhizoctonia, bean, 96.
- Sclerotinia, cauliflower, 110.
 - cress, 110.
 - cucumber, 119.
 - lima bean, 97.
 - strawberry, 366.
- Sedum purpureum, 459.
- snapdragon, 449.
- sweet clover, 255.
- sweet potato, 5, 477.
- velvet bean, 259.
- Stem rust, barley, 220, 467, 468.
 - cereals, 166.
 - oats, 226, 469, 470.
 - rye, 215, 465, 466.
 - wheat, 184, 463, 464.
- Stem smut, rye, 217.
- Stem spot, asparagus, 144.
- Stereum, plum, 351.
 - sp., white oak, 424.
- Sterility, oats, 230.
- Stilbospora pinicola, lodgepole pine, 400.
- Stippen, (see bitter pit), 311.
- Stipple streak, potato, 4, 41.
- Stizolobium pruriens, leaf spot, 258.
 - sp., leaf spot, 258.
 - spp., (see velvet bean), 258.
- Stone fruits, diseases, 330.
- Storage rots, cranberry, 375.
 - sweet potato, 477.
- Straighthead, rice, 240.
- Strawberry, Ascochyta colorata, 364.
 - Ascochyta fragariae, 364.
 - frost injury, 362.
 - fruit rot, 365.
 - gray mold rot, 365.
 - leaf scorch, 363.
 - leaf spot, Dendrophoma, 366.
 - Mycosphaerella, 362.
 - Marssonina fragariae, 364.
 - potentillae, 364.
 - Mollisia earliana, 364.
 - nematode, 366.
 - powdery mildew, 365.
 - root rot, 365.
 - Corticium, 366.
 - rot, Pezizella, 365.
 - Rhizopus, 365.
 - Sclerotinia, 365.
 - slime mould, 367.
 - stem rot, 366.
 - yellow, 366.
- Streak disease, horse bean, 259.
- Streak, potato, 4, 41, 42.
 - tomato, 65.
- Stringy brown rot, Engelmann spruce, 408.
 - lowland fir, 395.
 - western hemlock, 397.
- Stripe, barley, 222, 467, 468.
 - tomato, 65.
 - wheat, 215.
- Stripe rust, barley, 166, 221.
 - grasses, 166.
 - Hordeum jubatum, 197.
 - nodosum, 197.
 - wheat, 166, 196.
- Stunting, lettuce, 154, 155.
 - spinach, 3.
- Sub-tropical fruits, 376.
- Sudan grass, anthracnose, 260.
 - Bacillus sorghi, 246.
 - bacterial blight, 260.
- Sugar beet, crown gall, 134.
 - crown rot, 134.
 - curly top, 133.
 - damping off, 134.
 - dry rot canker, 134.
 - heart rot, 134.
 - leaf spot, 132.
 - mosaic, 134.
 - Phoma betae, 133.
 - Phoma rot, 134.
 - scab, 134.
 - seedling rots, 134.
- Sugar cane, leaf spot, 131.
 - mosaic, 5, 129.
 - red rot, 130.
 - root rot, 131.
 - white band, 131.
- Sulphur heart rot, western larch, 399.
- Sulphur sunburn, Citrus, 383.
- Sulphur use on seed potatoes, 45.
- Sunburn canker, apple, 315.
- Sunburn, cotton, 129.
 - cowpea, 256.
 - soybean, 257.
- Sunflower, dodder, 259.
 - downy mildew, 259.
 - leaf spot, 259.
 - powdery mildew, 259.
 - rust, 259.
 - wilt, 259.

- Sunscald, apple, 315.
 peach, 345.
 tomato, 67.
 white pine, 404.
 Sun scorch, maple, 423.
 miscellaneous grasses, 260.
 Surface rot, sweet potato, 87.
 Sweet clover, anthracnose, 255.
 leaf spot, 255.
 mosaic, 168, 255.
 root knot, 255.
 root rot, 255.
 stem rot, 255.
 wilt, 255.
 Sweet pea, black root rot, 450.
 mosaic, 450.
 powdery mildew, 449.
 root rot, *Pythium*, 450.
 Rhizoctonia, 450.
 Sweet potato, blackheart, 88.
 black rot, 82, 83, 477.
 certification, 6, 69.
 charcoal rot, 87.
 chlorosis, 89.
 crop losses, 462, 477.
 Cystospora batata, 5.
 dry rot, 87.
 foot rot, 85, 88, 477.
 hollow heart, 87.
 Java black rot, 87.
 leaf spot, 88.
 Macrosporium solani, 3.
 miscellaneous injuries, 87.
 miscellaneous tuber rots, 87.
 mosaic, 88.
 pithiness, 87.
 pex, 86, 477.
 root knot, 88.
 rot, 87.
 Sclerotium wilt, 88.
 scurf, 86.
 slime mould, 89.
 soft rot, 83, 87.
 soil rot, 86.
 stem rot, 5, 80, 477.
 storage rots, 477.
 surface rots, 87.
 Texas root rot, 88.
 tuber injuries, 87.
 tuber rots, 87.
 white rust, 88.
 Swiss chard, bacterial disease, 3, 163.
 curly top, 163.
 leaf spot, 163.
 Pseudomonas aptatum, 163.
 root knot, 163.
 southern blight, 163.
 Sycamore, anthracnose, 429.
 canker, 430.
 drought injury, 430.
 powdery mildew, 430.
 winter killing, 430.
Symphoricarpos orbiculatus, (see snowberry), 449.
 racemosus, (see snowberry), 449.
 spp., (see snowberry), 449.
Synchytrium endobioticum, potato, 17.
 myosotidis, *Cryptantha intermedia*, 452.
 papillatum, *Erodium moschatum*, 453.
 sp., *Lotus* spp., 457.
Syntherisma sanguinalis, *Piricularia grisea*, 262.
 Syringa, shot hole, 450.
 spp., (see lilac), 440.
 Microsphaera alni, 441.
- T
- Take-all, rye, 219.
 timothy, 260.
 wheat, 166, 203.
Taphrina amentorum, (see *Exoascus tosquinetii*), 409.
 aurea, black cottonwood poplar, 427.
 cerasi, western choke cherry, 413.
 coerulescens, oak, 425.
 water oak, 425.
 sp., oak, 425.
Taraxacum spp., leaf spot, 461.
 powdery mildew, 460.
 rust, 460.
 Tar leaf spot, *Acer rubrum*, 423.
 Acer saccharinum, 423.
 maple, 423.
 Tar spot, quaking aspen poplar, 427.
 Vaccinium corymbosum, 461.
 willow, 431.
Taxus brevifolia, (see western yew), 403.
 Tear stain, mango, 387.
 Temperature, by months, 270.
 departure from normal, 271.
 Texas root rot, bean, 96.

- cotton, 126.
- elm, 417.
- grape, 361.
- mulberry, 375.
- okra, 155.
- peanut, 160.
- sweet potato, 88.
- wild rose, 446.
- Thalictrum dioicum*, rust, 461.
- Thelephora retiformis*, (see *Septosidium retiforme*), 417.
- Thielavia basicola*, horseradish, 110.
- pea, 157.
- sweet pea, 450.
- tobacco, 138, 142.
- violet, 450.
- watermelon, 123.
- bean, 2.
- Thimbleberry, leaf spot, 450.
- Macrophoma* sp., 450.
- Thuja occidentalis*, (see *arborvitae*), 394.
- plicata, (see *giant arborvitae*), 394.
- Tilia americana*, (see *basswood*), 410.
- sp., (see *basswood*), 410.
- Tilletia laevis*, wheat, 169, 463, 464.
- tritici, rye, 169, 219.
- wheat, 169, 463, 464.
- Timothy, leaf spot, 260.
- proliferation of spike, 260.
- rust, 260.
- smut, 260.
- take-all, 260.
- zonate eye-spot, 260.
- Tipburn, lettuce, 152.
- potato, 37, 475, 476.
- Tobacco, angular spot, 2, 137.
- bacterial leaf spot, 3.
- bacterial wilt, 142.
- blackfire, 137.
- black root rot, 138.
- broad leaf spot, 142.
- brown spot, 143.
- damping off, 143.
- frenching, 143.
- frogeye, 142.
- Fusarium* sp., 142.
- hieroglyphics, 142.
- leaf spots, 142, 143.
- Cercospora*, 142.
- Phyllosticta*, 143.
- magnesium hunger, 142.
- mosaic, 140.
- pole sweat, 142.
- ring spot, 142.
- root knot, 143.
- root rot, 5.
- rust, 142.
- sand drown, 142.
- shoe string, 143.
- water injury, 142.
- white speck, 143.
- wildfire, 2, 6, 135.
- wind injury, 142.
- Wisconsin leaf spot, 142.
- Tomato, *Alternaria*, 3.
- Alternaria* spot, 67.
- anthracnose, 66.
- bacterial blight, 64.
- bacterial soft rot, 67.
- bacterial spot, 66.
- bacterial wilt, 65, 478.
- Bacterium vesicatorium*, 2.
- Basisporium gallarum*, 3, 67.
- blossom drop, 67.
- blossom end rot, 62.
- buckeye rot, 66.
- catface, 67.
- collar blight, 65.
- crop losses, 478.
- damping off, 65.
- diseases of fruit or blossom, 66.
- diseases of stem, 65.
- early blight, 59, 478.
- frost injury, 65.
- fruit spots, 67.
- Fusarium* wilt, 3, 55, 478.
- hollow stem, 65.
- late blight, 66.
- leaf mold, 64.
- leaf roll, 65.
- leaf spot, 53.
- lightning injury, 66.
- mosaic, 5, 61.
- nailhead spot, 59.
- Phoma* fruit rot, 66.
- references on diseases, 67.
- root knot, 64.
- Sclerotium* blight, 65.
- Septoria* blight, 478.
- Septoria lycopersici*, 3.
- slime mould, 65.
- soft rot, 67.
- streak, 65.
- stripe, 65.

- sunscald, 67.
 western yellow blight, 2, 59.
 wilt, 5.
 Fusarium, 3, 55, 478.
 winter blight, 65.
 winter injury, 66.
 Top soursap, plum, 351.
Trametes pini, Douglas fir, 395.
 western hemlock, 397.
 western larch, 399.
 western white pine, 401.
robiniofila, locust, 420.
suaveolens, large toothed aspen poplar, 426.
 willow, 431.
Trichoderma koningi, sweet potato, 87.
Trifolium carolinianum, rust, 253.
Tsuga albertiana, (see hemlock), 396, 397.
 canadensis, (see hemlock), 396.
 heterophylla, (see western hemlock), 397.
 spp., (see hemlock), 397.
Tubercularia fici, fig, 386.
 sp., horsechestnut, 420.
 vulgaris, (see *Nectria vulgaris*), 459.
 Tuber injuries, sweet potato, 87.
 Tuber rots, potato, 47.
 sweet potato, 87.
 Tuckahoe, pine, 407.
 Turnip, leaf spots, 111.
 Rhizoctonia, 111.
 soft rot, 111.
 white rust, 111.
 Twig blight, elm, 417.
 pear, 328.
 white elm, 416.
 Twig canker, asparagus, 144.
 Twig rust, hemlock, 397.
Tylenchus dipsaci, clover, 168, 254.
 strawberry, 366.
 tritici, wheat, 167, 207.
- U
- Ulmus alata*, (see wing elm), 415.
 americana, (see white elm), 416.
 pubescens, (see slippery elm), 416.
 spp., (see elm), 416.
Uncinula ampelopsidis, (see *U. necator*), 432.
 flexuosa, horsechestnut, 420.
 necator, ampelopsis, 432.
 grape, 359.
 salicis, black cottonwood poplar, 427.
 poplar, 428.
 quaking aspen poplar, 427.
 willow, 431.
 Undetermined disease, eggplant, 150.
 pea, 159.
 rhubarb, 160.
Uredinopsis mirabilis, balsam fir, 395.
 brake fern, 454.
 lowland fir, 395.
 Osmunda claytoniana, 395.
 silver fir, 394.
Urocystis agropyri, *Agropyron repens*, 264.
 Agrostis palustris, 167, 264.
 Melica imperfecta, 264.
 cepulae, onion, 97.
 occulta, rye, 217.
 tritici, wheat, 167, 181.
Uromyces appendiculatus, bean, 93, 256.
 cowpea, 256.
 lima bean, 97.
 caryophyllus, carnation, 434.
 dactylidis, *Dactylis glomerata*, 167, 264.
 grasses, 167.
 elegans, clover, 253.
 Trifolium carolinianum, 253.
 fallens, clover, 253.
 red clover, 253.
 medicaginis, *Medicago lupulina*, 247.
 Medicago sativa, 247.
 (see *U. striatus*), 247.
 pea, 2.
 pisi, pea, 159.
 spp., clover, 253.
 Euphorbia spp., 453.
 striatus, alfalfa, 167, 247.
 trifolii, clover, 253.
 white clover, 253.
Urophlyctis alfalfae, alfalfa, 248.
 Use of sulphur, potato, 45.
Ustilago avenae, oats, 224, 469, 470.
 hordei, barley, 219, 467, 468.
 levis, oats, 224, 469, 470.
 neglecta, *Chaetochloa lutescens*, 264.
 nuda, barley, 220, 467, 468.

panici-miliacei, *Panicum miliaceum*, 264.
 sp., rye, 217, 465, 466.
striaeformis, *Poa pratensis*, 264.
 timothy, 260.
tritici, wheat, 176, 463, 464.
zeae, corn, 231, 471.

V

Vaccinium corymbosum, tar spot, 461.
 sp., rust, 461.
 spp., leaf rust, 461.
Valsa leucostoma, peach, 344.
 Varietal susceptibility notes, 4.
 Vegetable crops, 1, 143.
 diseases, 1.
 geographical distribution, 2.
 new areas, 2.
 proliferation of heads, wheat, 215.
 soft rot, 5.
 soil and seed treatment, 5.
 Velvet bean, bacterial leaf spot, 258.
Cercospora sp., 258.
 leaf spot, 258.
 root knot, 259.
 stem rot, 259.
Venturia compacta, cranberry, 375.
 inaequalis, apple, 273, 483.
 pyrina, pear, 326, 486, 487.
Verbesina spp., rust, 461.
Vermicularia varians, potato, 46.
Verticillium albo-atrum, eggplant, 150.
 okra, 155.
 peach, 344.
 potato, 47.
 snapdragon, 449.
 sp., maple, 423.
 Norway maple, 421.
 snapdragon, 449.
 Vetch, *Protocoronospora nigricans*, 258.
Vicia americana, powdery mildew, 461.
 faba, (see horse bean), 259.
 sp., (see vetch), 258.
Vinca major, (see periwinkle), 443.
 sp., (see periwinkle), 443.
 Vine rot, bean, 96.
Viola spp., (see violet), 450.
 tricolor, (see pansy), 442.
 Violet, black root rot, 450.
 leaf spot, 450.
 powdery mildew, 450.
 soft rot, 450.

Violet root rot, alfalfa, 249.
Vitis quadrangularis, *Schizonella colemani*, 461.
Volutella buxi, box, 434.
 nectrioides, choke cherry, 413.

W

Walnut, blight, 391.
 canker, 391.
 leaf spot, 430.
 Melanconium oblongum, 430.
 Wart, potato, 4, 17.
Washingtonia filifera, *Phoma palmicola*, 450.
 Water core, apple, 312.
 Water injury, tobacco, 142.
 Watermelon, abnormal proliferated blossoms, 123.
 anthracnose, 6, 120.
 blossom end disease, 3.
 blossom end rot, 121.
 decay, 122.
 downy mildew, 123.
 drought injury, 123.
 hail injury, 123.
 leaf spots, 123.
 mosaic, 123.
 Pythium debaryanum, 122.
 Rhizoctonia, 3, 123.
 root knot, 123.
 stem end rot, 121.
 Thielavia basicola, 123.
 wilt, 123.
 Fusarium, 122.
 Watery soft rot, carrot, 145.
 celery, 148.
 endive, 150.
 escarole, 151.
 Weather conditions in 1922, 165, 269.
 Western fusiform rust, lodgepole pine, 399.
 Western pine gall rust, Indian paint brush, 456.
 lodgepole pine, 399.
 western yellow pine, 402.
 Western yellow blight, tomato, 2, 59.
 Wheat, anthracnose, 166, 209.
 basal glume rot, 215.
 black chaff, 208.
 black point, 214.
 broken straw, 214.
 bunt, 166, 169, 463, 464.

- crinkled joint, 215.
- crop loss, 462, 463, 464.
- diseases caused by *Septoria* spp., 209.
- ergot, 166, 212.
- flag smut, 167, 180, 181.
- foot and root rots, 206.
- foot rots, 206, 207.
- glume blotch, 210.
- Helminthosporium* blight, 206, 207.
- leaf rust, 192, 463, 464.
- Leptosphaeria*, 207.
- sp., 166.
- loose smut, 176, 463, 464.
- mosaic, 166, 168, 215.
- nematode, 166, 207.
- powdery mildew, 214.
- root rot, 206, 207.
- rosette, 205.
- scab, 198, 463, 464.
- Sclerotium* disease, 168.
- rhizodes, 167, 206.
- seedling blight, 214.
- Septoria* diseases, 209.
- nodorum, 209, 210.
- tritici, 209.
- sooty mold, 215.
- speckled leaf blotch, 212.
- stem rust, 184, 463, 464.
- stripe, 215.
- stripe rust, 166, 196.
- take-all, 166, 203.
- Tylenchus tritici*, 167.
- Urocystis tritici*, 167.
- vegetable proliferation of heads.
- 215.
- white head, 207.
- Wojnowicia graminis*, 206.
- White band, sugar cane, 131.
- White butt rot, maple, 423.
- White clover, (see clover), 250.
- rust, 253.
- sooty spot, 255.
- White head, wheat, 207.
- White heart, lettuce, 154.
- White heart rot, locust, 420.
- red alder, 409.
- willow, 431.
- White heartwood rot, Oregon maple, 421.
- White pine blister rust, black currant,
- 405.
- control in Pennsylvania, 405.
- Ribes cynosbati*, 405.
- nigrum, 405.
- Ribes rotundifolium*, 405.
- western white pine, 401.
- white pine, 404.
- White pouch fungus, yellow pine, 402.
- White rust, *Bursa-bursa pastoris*,
- 451.
- horseradish, 110.
- mustard, 110.
- radish, 111.
- salsify, 161.
- sweet potato, 88.
- turnip, 111.
- White speck, tobacco, 143.
- White tip, carnation, 435.
- cucumber, 119.
- White top, alfalfa, 249.
- White wood, paper birch, 411.
- wildfire, tobacco, 2, 6, 135.
- Wild grasses, *Puccinia glumarum*, 263.
- Wild oats, (see *Avena* sp.), 262.
- Willow, *Amphisphaeria decolorans*,
- 431.
- canker, 431.
- crown gall, 431.
- European canker, 431.
- leaf blotch, 431.
- Melampsora* sp., 431.
- powdery mildew, 431.
- rust, 430.
- tar spot, 431.
- Trametes suaveolens*, 431.
- white heart rot, 431.
- Wilt, bacterial, cantaloupe, 112, 114.
- corn, 237.
- cosmos, 436.
- cucumber, 114.
- dahlia, 435.
- parsley, 155.
- peanut, 159.
- pepper, 160.
- potato, 46.
- soybean, 256.
- squash, 119.
- tobacco, 142.
- tomato, 65, 478.
- cantaloupe, 114.
- flax, 166.
- Fusarium*, carnation, 434.
- China aster, 433.
- cotton, 124, 481.
- cowpea, 256.
- cucumber, 119.
- flax, 243.

- golden seal, 454.
 larkspur, 440.
 okra, 155.
 potato, 14, 47, 475; 476.
 snapdragon, 448.
 soybean, 357.
 squash, 119.
 tomato, 3, 55, 478.
 watermelon, 122.
Sclerotinia, sunflower, 259.
Sclerotinia, bean, 96.
 beet, 145.
 soybean, 257.
 sweet potato, 88.
 sweet clover, 255.
 tomato, 5.
Verticillium, eggplant, 150.
 maple, 423.
 Norway maple, 421.
 okra, 155.
 peach, 344.
 potato, 47.
 snapdragon, 449.
 watermelon, 123.
 Wind injury, apple, 316.
 tobacco, 142.
 Winter blight, tomato, 65.
 Winter injury, apple, 316.
 blackberry, 373.
 cherry, 355.
 Festuca spp., 265.
 maple, 424.
 raspberry, 371.
 tomato, 66.
 wild rose, 447.
 Winter killing, sycamore, 430.
 Wisconsin leaf spot, tobacco, 142.
 Witches broom, hackberry, 417.
 hickory, 419.
 rhododendron, 444.
 western service berry, 429.
 western yellow pine, 401.
 white oak, 424.
 Witch-hazel, leaf spot, 431.
 Wither tip, Citrus, 381.
Wojnowicia graminis, *Agropyron smithii*,
 265.
 wheat, 206.
 Wood rot, *arborvitae*, 394.
 mountain maple, 422.
 paper birch, 411.
 poplar, 429.
 red pine, 403.
 white ash, 409.
 white elm, 416.
 white pine, 403.
 Work on mosaic diseases, 4.
- X
- Xylaria* sp., apple, 310.
 hackberry, 417.
- Y
- Yeast, elm, 417.
 Yeast spot, lima bean, 97.
 Yellow dwarf, potato, 3, 43.
 Yellowing, cabbage, 109.
 Yellow leaf blister, black cottonwood
 poplar, 427.
 Yellow leaf blotch, alfalfa, 248.
 Yellow root rot, western white pine, 401.
 Yellows, alfalfa, 249.
 cabbage, 4, 102.
 celery, 2, 4, 147.
 China aster, 433.
 dahlia, 435.
 kale, 110.
 peach, 343.
 plum, 350.
 strawberry, 366.
 Yellow speck, corn, 240.
 Yew, western, heart rot, 408.
 needle blight, 408.
Yucca, *Neottiospora yuccaeifolia*, 451.
 sp., (see *Yucca*), 451.
- Z
- Zantedeschia* sp., (see calla lily), 434.
Zinnia, powdery mildew, 451.
 sp., (see *zinnia*), 451.
 Zonate eye-spot, timothy, 260.

ERRATA AND EXPLANATION

Page

- ~~Done~~ 17, 452, 453, and 457. Read "Synchitrium" instead of "Synchytrium".
- ~~Done~~ 55, 150 and 382. Read "Phytophthora terrestris" instead of "P. terrestria".
- ~~Done~~ 167, 168 and 206. Read "Sclerotium rhizodes" instead of "S. rhizoides".
- ~~Done~~ 244. Read "Phlyctaena" instead of Phylctaena".
- ~~Done~~ 315. Read "Septobasidium retiforme" instead of "S. retiformis".
- ~~Done~~ 344. Read "Cercospora circumscissa" instead of "S. circumscissa".
- ~~Done~~ 363. Read "Marssonia" instead of "Marsonia".
- ~~Done~~ 383. Read "Septobasidium pedicellatum" instead of "S. pedicillatum".
- ~~Done~~ 394. Read "Phomopsis juniperovora" instead of "P. juniperivora".
- ~~Done~~ 402. Read "Pine comandra rust" instead of "Pine commandra rust".
- ~~Done~~ 410. Read "Ramularia fraxinea" instead of "R. fracinea".
- ~~Done~~ 412. Read "Diaporthe juglandis" instead of "Diaporthae juglandis".
- ~~Done~~ Read "Puccinia rhamni" instead of "P. rahmni".
- ~~Done~~ 415. Read "Nummularia" instead of "Numularia".
- ~~Done~~ 416. Read "Phyllactinia corylea" instead of "Phyllactina corylea".
- ~~Done~~ 417. Read "Irpex tulipiferae" instead of "I. tulipeferae".
- ~~Done~~ Read "Septobasidium retiforme" instead of "S. retiforma".
- ~~Done~~ Read "Telephora retiformis" instead of "Telephora retiformis".
- ~~Done~~ 422. Read "Stegano sporium piriforme" instead of "Stegamosporium piriforme".
- ~~Done~~ Read "Acer saccharinum" instead of "A. saccharium".
- ~~Done~~ Read "Gloeosporium saccharinum" instead of "G. saccharina".
- ~~Done~~ 423. Read "Stegano sporium piriforme" instead of "Stegnosprium piriforme".

Colman

Page

- Done 433 Read "Fusarium congluticans callistephi" instead of "callestephi".
 Done Read "Philospora sp. instead of "Philospora".
 Done 434 Read "Bacillus carotovorus aroideae" instead of "aroideal".
 Done 436 Read "Oidium evonymi" instead of "O. evonymui".
 Done 439 Read "Phyllosticta hydrangeae" instead of "P. hydrangea".
 Done 445 Read "Melampsoropsis rhododendri" instead of "M. rhodeodendri".
 Done 449 Read "Symphoricarpos" instead of "Symphoricarpus".
 Done 451 Read "Neottiospora yuccaeifolia" instead of "Heottiospora yuccaeifolia".
 Done 452 Read "Cylindrosporium ceanothi" instead of "C. ceanthi".
 Done 456 Read "Arctostaphylos uva-ursi" instead of "Arctostophylos uva-ursa".
 Done Read "Ledum groenlandicum" instead of "L. groenlaudicum".
 Done 459 Read "Ruellia" instead of "Ruella".
 Done Read "Puccinia ruelliae" instead of "P. ruellia".
 Done 461 Read "Thalictrum dioicum" instead of "T. diocium".
 Done Read "Rhytisma vaccinii" instead of "R. vaccini".
 Done Read "Vaccinium corymbosum" instead of "V. corybosum".
 Done 478 Read "Bacterium solanacearum" instead of "Bacillus solanacearum".

